

7

WORLD ACADEMY OF SCIENCE, ENGINEERING AND TECHNOLOGY



WORLD ACADEMY OF SCIENCE,
ENGINEERING AND TECHNOLOGY

www.waset.org



WORLD ACADEMY OF SCIENCE,
ENGINEERING AND TECHNOLOGY

WORLD ACADEMY OF SCIENCE, ENGINEERING AND TECHNOLOGY



www.waset.org

- Conferences
- Committees
- Publications
- Notifications
- Membership
- Institutional
- International

WORLD ACADEMY OF SCIENCE, ENGINEERING AND TECHNOLOGY

World Academy of Science, Engineering and Technology, is open access journal of full text paper of peer-reviewed scientific research, and enables fast dissemination of high quality scientific and technical information freely available worldwide.

World Academy of Science, Engineering and Technology is a scholarly open access, peer-reviewed, interdisciplinary, monthly and fully refereed journal focusing on theories, methods and applications in Science, Engineering and Technology.

World Academy of Science, Engineering and Technology aims to maintain a rapid editorial procedure and a rigorous peer-review system. The submitted articles are reviewed within approximately three months of submission and the accepted full text articles are published on the internet immediately upon receiving the final versions.

World Academy of Science, Engineering and Technology offers a single, highly recognized platform where peer-reviewed high quality scientific papers can be hosted and accessed by millions of researchers, enabling authors to keep abreast of the latest developments in their field. All accepted full text articles are published free of charge.

Commenced in January 2007	Frequency: Monthly	Edition: International
OCLC-ID Number: 701027477	Indexed in International Science Index, CiteSeerX, Google Scholar, EBSCO, ERA	ZDB OPAC IDN: 997425644
OCLC-ID Number: 711803673		ZDB-ID Number: 2519582-7
P-ISSN : 2010-376X		E-ISSN : 2010-3778


Submit Journal Papers	Instructions for Authors	Manuscript Style Files
Scientific Editorial Board	Editor-in-Science	Full Journal Cover

International Science Index is the unique database of peer-reviewed full text papers, scientific research, development & innovation and data dissemination. It kindly encourages scientists contributing and campaigning for open science, open research, open access, open publishing and communicating scientific knowledge. The online interdisciplinary, multidisciplinary, transdisciplinary & crossdisciplinary special journal issues are composed of peer-reviewed papers from a number of academic disciplines.

International Science Index: Online Special Journal Issues

- | | | | | |
|------------------|------------------|------------------|------------------|------------------|
| Issue 0076: 2013 | Issue 0077: 2013 | | | |
| Issue 0071: 2012 | Issue 0072: 2012 | Issue 0073: 2013 | Issue 0074: 2013 | Issue 0075: 2013 |
| Issue 0066: 2012 | Issue 0067: 2012 | Issue 0068: 2012 | Issue 0069: 2012 | Issue 0070: 2012 |
| Issue 0061: 2012 | Issue 0062: 2012 | Issue 0063: 2012 | Issue 0064: 2012 | Issue 0065: 2012 |
| Issue 0056: 2011 | Issue 0057: 2011 | Issue 0058: 2011 | Issue 0059: 2011 | Issue 0060: 2011 |
| Issue 0051: 2011 | Issue 0052: 2011 | Issue 0053: 2011 | Issue 0054: 2011 | Issue 0055: 2011 |
| Issue 0046: 2010 | Issue 0047: 2010 | Issue 0048: 2010 | Issue 0049: 2011 | Issue 0050: 2011 |
| Issue 0041: 2010 | Issue 0042: 2010 | Issue 0043: 2010 | Issue 0044: 2010 | Issue 0045: 2010 |
| Issue 0036: 2009 | Issue 0037: 2010 | Issue 0038: 2010 | Issue 0039: 2010 | Issue 0040: 2010 |
| Issue 0031: 2009 | Issue 0032: 2009 | Issue 0033: 2009 | Issue 0034: 2009 | Issue 0035: 2009 |
| Issue 0026: 2009 | Issue 0027: 2009 | Issue 0028: 2009 | Issue 0029: 2009 | Issue 0030: 2009 |
| Issue 0021: 2008 | Issue 0022: 2008 | Issue 0023: 2008 | Issue 0024: 2008 | Issue 0025: 2009 |
| Issue 0016: 2008 | Issue 0017: 2008 | Issue 0018: 2008 | Issue 0019: 2008 | Issue 0020: 2008 |
| Issue 0011: 2007 | Issue 0012: 2007 | Issue 0013: 2008 | Issue 0014: 2008 | Issue 0015: 2008 |
| Issue 0006: 2007 | Issue 0007: 2007 | Issue 0008: 2007 | Issue 0009: 2007 | Issue 0010: 2007 |
| Issue 0001: 2007 | Issue 0002: 2007 | Issue 0003: 2007 | Issue 0004: 2007 | Issue 0005: 2007 |

International Journal of Mathematical Sciences



World Academy of Science, Engineering and Technology
 International Scientific Editorial Board Members

a) Medical and Biological Sciences b) Social and Human Sciences c) Engineering and Physical Sciences

Editorial Policies for Peer Review: The Full text paper submissions are peer-reviewed by the members of the specific *Scientific Committees and Editorial Boards* to assess their quality and relevance to scope of the specific journal issues / conferences. All full text papers are refereed, and the Editor-in-Chief reserves the right to refuse any manuscript, whether on invitation or otherwise, and to make suggestions and/or modifications before publication. Therefore, a full double-blind international refereeing process is used in which:

-Papers are sent to reviewers for their peer review process.
 -The reviewers' recommendations determine whether a paper will be accepted / accepted subject to change / subject to resubmission with significant changes / rejected.

The Peer Review Process: The entire review process is full double-blind. The papers are taken through the following process. Topics which are relevant to the specific journal issues / conference theme, are selected for further reviewing.

A-Refereed Papers

- 1- The papers are sent to three reviewers identified as experts in the area of research. The anonymous reviewers are from different universities from around the world.
- 2- Papers are deemed acceptable once at least two reviewers give positive evaluation.
- 3- The authors get an acceptance letter and review form from the reviewers.
- 4- The authors are then advised to address the comments made by the reviewers.
- 5- On corresponding, the paper is referred back to the reviewers to check whether the comments are addressed. If the comments are not addressed, the paper is referred back to the authors to make good revisions.

B-Edited Papers

The accepted papers are then edited by the Editorial Board to remove the minor mistakes in punctuation, grammar and scientific format.

The SHERPA/RoMEO list for Permissions: The SHERPA/RoMEO summarises publisher's conditions for pre-prints and post-prints and then assigns a colour category according to the permissions given. These are "green" for pre-print and immediate post-print archiving; "blue" if pre-prints are not allowed; "yellow" if only pre-prints are allowed and "white" if archiving is not allowed at all. World Academy of Science, Engineering and Technology is categorized as "green" for pre-print and immediate post-print archiving.

Arkady Bobtin
 Ben-Gurion University of the Negev
 Beersheba, Israel

Majid Tolouei-Rad
 School of Engineering
 Edith Cowan University, Perth, Australia

Byoung-Tak Zhang
 School of Computer Science and Engineering
 Seoul National University, Seoul, Korea

Teodora Bakardjeva
 Institute of Technology
 Varna Free University, Bulgaria

Chen-Yuan Chen
 Department of Computer Science
 National Pingtung University of Education, TW

Mikhail E. Semenov
 Department of Math. and Mathematical Physics
 Tomsk Polytechnic University, Russia

Miemie Struwig
 Nelson Mandela Metropolitan University
 School of Sciences, Port Elizabeth, ZA

Miloš Šeda
 Brno University of Technology
 Institute of Automation and Computer Science, CZ

Edison Muzenda
 Faculty of Engineering and the Built Environment
 University of Johannesburg, Doornfontein, ZA

Sabrina Fawzia
 Faculty of Built Environment and Engineering
 Queensland University of Technology, Australia

Eric T T Wong
 Department of Mechanical Engineering
 The Hong Kong Polytechnic University, Hong Kong

Simon Brown
 School of Human Life Sciences
 University of Tasmania, Australia

Igor Astrov
 Tallinn University of Technology
 Tallinn, Estonia

S. M. A. Burney
 Department of Computer Science
 University of Karachi, Pakistan

Kenan Matawie
 School of Computing and Mathematics
 University of Western Sydney, Australia

Yeon-Mo Yang
 Department of Electronic Engineering
 Kumoh National Institute of Technology, Korea

Jiri Pavelka
 Masaryk University
 Department of Media Studies and Journalism, CZ

Zarita Zainuddin
 School of Mathematical Sciences
 Universiti Sains Malaysia

Kevin Fong-Rey Liu
 Department of Safety, Health and Environmental
 Engineering, Ming Chi University of Technology, TW

Zhanna Mingaleva
 Faculty of Economics
 Perm State University, Russia

Quoc-Nam Tran
 Lamar (Texas State) University
 Beaumont, Texas, USA

James. A. Nelson
 Department of Accounting and Information Systems
 New Mexico State University, USA

Karen Armstrong
 York University
 Faculty of Education, Canada

Alexander Vaninsky
 Mathematics Department
 Hostos Community College, CUNY, USA

Pavel Selyshchev
 University of Pretoria
 Department of Physics, South Africa

Nerey H. Mvungi
 University of Dar es Salaam, College of Information and
 Communication Technologies, Tanzania

Isaac Olusegun Osunmakinde
University of South Africa
School of Computing, South Africa

Henning Bjornlund
University in South Australia
School of Commerce, Australia

Chukwutoo C. Ihueze
NNamdi Azikiwe University, Awka
Department of Industrial/Production Engineering, NG

Viesturs Rozenbergs
Latvia University of Agriculture
Department of Nutrition, Latvia

[Contact and Support](#)

[Privacy and Legal](#)

[Terms and Conditions](#)

[Nondiscrimination Policy](#)

© 2013 World Academy of Science, Engineering and Technology

- Conferences
- Committees
- Publications
- Notifications
- Membership
- Institutional
- International

INTERNATIONAL SCIENTIFIC COUNCIL

Contact Us @: Tel: ++971559099620 Tel: ++15756350018
 PO Box 3151 NMSU, Las Cruces, NM 88003-3151, USA

<p>Pavel Selyshchev University of Pretoria, Pretoria, SA Tel: ++27761997149</p> <p>Ali Hilal Alnaqbi UAEU, Abu Dabi, UAE Tel: ++971506725333</p> <p>Ahmad-Ur-Rahman Sajjoki AUP, Peshawar, Pakistan Tel: ++923339139959</p> <p>S.B. Hinchigeri KU, Dharwad-580003, India Tel: ++919448188417</p> <p>Igor Astrov TTU, Tallinn, Estonia Tel: ++3726202113</p> <p>Milos Seda BUT, Brno, Czech Republic Tel: ++420541143332</p> <p>Aleksandra Zebrowska AWF, Katowice, Poland Tel: ++48608418581</p> <p>Yeon-Mo Yang KNIT, Kumoh, Korea Tel: ++82163458620</p> <p>Tatyana Boikova BSA, Riga, Latvia Tel: ++37128294266</p> <p>Krzysztof Stypula PK, Krakow, Poland Tel: ++48126282031</p> <p>Joanna Dulinska PK, Krakow, Poland Tel: ++48126282351</p> <p>Jui-Pin Hung NCUT, Taichung, Taiwan Tel: ++886423924505</p> <p>Chen-Yuan Chen NPUE, Pingtung, Taiwan Tel: ++886927311231</p> <p>Mikhail Semenov TPU, Tomsk, Russia Tel: ++79039522493</p> <p>Quoc-Nam Tran LU, Beaumont, Texas, USA Tel: ++14098807995</p> <p>Teodora Bakardjieva VFU, Varna Bulgaria Tel: ++359888843111</p>	<p>Kenan Matawie UWS, Sydney, Australia Tel: ++61411062244</p> <p>Kevin F.R. Liu MCUT, Taipei, Taiwan Tel: ++886926995906</p> <p>Simon Brown UT, Tasmania, Australia Tel: ++61363245467</p> <p>Eric T T Wong HKPolyU, Hong Kong Tel: ++825 97470507</p> <p>Zhou Xiaodong IMRE, Singapore Tel: ++6591856378</p> <p>Seung-You Na CNU, Gwangju, Korea Tel: ++82625301763</p> <p>Mohd. F. Shabir TEC, Chennai, India Tel: ++919790713448</p> <p>Khadija Lureshi MUET, Sindh, Pakistan Tel: ++923063009900</p> <p>Ji-Hwan Kim SNU, Seoul, Korea Tel: ++821041210181</p> <p>N.K. Narayanan KannurU, Kerala, India Tel: ++919446955830</p> <p>Sabrina Fawzia QUT, Brisbane, Australia Tel: ++61731381012</p> <p>Sitalakshmi Venkatraman UB, Ballarat, Australia Tel: ++61353279074</p> <p>G. Incerti UNIBS Brescia, Italy Tel: ++390303715427</p> <p>Assam El-Osta Bakerkdj, Australia Tel: ++61385321111</p> <p>Alexander Vaninsky HOSTOS CUNY, New York, USA Tel: ++17185186615</p> <p>Mehmet Savsar Kuwait University, Kuwait Tel: ++665504773</p>	<p>Abd El Baith M. Mohamed AASTMT, Cairo, Egypt Tel: ++20122161730</p> <p>Nerey H. Mvungi UD, Dodoma, Tanzania Tel: ++255784279663</p> <p>Rajab Abdullah Hokoma University of Tripoli, Tripoli, Libya Tel: ++218914771239</p> <p>Edison Muzenda UJ, Johannesburg, South Africa Tel: ++27764072314</p> <p>Omar Fakh Hamad UJ, Johannesburg, South Africa Tel: ++27791112238</p> <p>Uchenna Virginia Okolie UN, Enugu, Nigeria Tel: ++2348036741302</p> <p>Messaouda Azzouzi UD, Djelfa, Algeria Tel: ++213776705798</p> <p>Abdel-Badeeh M. Saleem ASU, Cairo, Egypt Tel: ++2022903906</p> <p>Abdulfatah Aboufayed TU, Tripoli, Libya Tel: ++218917627009</p> <p>Mario Mastriani UNTreF, Buenos Aires, Argentina Tel: ++5491140826808</p> <p>Yan Liu Qinghai University, Xining, China Tel: ++0086-13897248341</p> <p>Majid Tolouei-Rad ECU, Perth, Australia Tel: ++61863045883</p> <p>Hilal A. Fadhil UNIMAP, Perlis, Malaysia Tel: ++60175483570</p> <p>Meteb M.S. Altaf KACST, Riyadh, Saudi Arabia Tel: ++966552995399</p> <p>James. A. Nelson NMSU, New Mexico, USA Tel: ++15756495938</p> <p>Mashood Olawale Fadeyi BUID, Dubai, UAE Tel: ++97143913626</p>
---	--	--

As per the scientific commitment to the enhancement of Science, Engineering and Technology, We encourage visitors to contact us with their feedback, suggestions, comments and questions so that we may serve you better.

Title

Contact Title

Full Name

Email Address

Country

Institution

Type verification image

Comments

Please take a moment to tell us how you were made aware of our website. Your assistance is appreciated in completing the following survey.

How did you find us ? (Optional)

Send

World Academy of Science, Engineering and Technology Website Legal Disclaimer

World Academy of Science, Engineering and Technology has prepared the content of this website responsibly and carefully, but disclaims all warranties, express or implied, as to the accuracy of the information contained in any of the materials on this website or on other linked websites or on any subsequent links. This includes but is not by way of limitation:

1. any implied warranties of merchantability and fitness for a particular purpose
2. any liability for damage to your computer hardware, data, information, materials and business resulting from the information or the lack of information available
3. any errors, omissions, or inaccuracies in the information
4. any decision made or action taken or not taken in reliance upon the information

World Academy of Science, Engineering and Technology makes no warranty as to the content, accuracy, timeliness or completeness of the information or that the information may be relied upon for any reason and bears no responsibility for the accuracy, content or legality of any linked site or for that of any subsequent links. World Academy of Science, Engineering and Technology makes no warranty that the website service will be uninterrupted or error-free or that any defects can be corrected.

World Academy of Science, Engineering and Technology shall not be liable for any losses or damages (including without limitation consequential loss or damage) whatsoever from the use of, or reliance on, the information in its website, or from the use of the Internet generally. Any links to other websites do not constitute an endorsement or an approval by World Academy of Science, Engineering and Technology of any products, services, policies or opinions of the organization or individual.

[Contact and Support](#)

[Privacy and Legal](#)

[Terms and Conditions](#)

[Nondiscrimination Policy](#)

© 2013 World Academy of Science, Engineering and Technology

	Article#	WORLD ACADEMY OF SCIENCE, ENGINEERING AND TECHNOLOGY ISSUE 0074 FEBRUARY 2013	Page#
Conferences			
Committees			
Publications	1	Post Elevated Temperature Effect on the Strength and Microstructure of Thin High Performance Cementitious Composites (THPCC) <i>A. Q. Sobia, A. Shyzeen, M. S. Hamidah, I. Azmi, S. F. A. Rafeeqi, S. Ahmad</i>	1
Notifications	2	Theoretical Study on Torsional Strengthening of Multi-cell RC Box Girders <i>Abeer A. M., Allawi A. A., Chai H. K.</i>	7
Membership	3	A New Load Frequency Controller based on Parallel Fuzzy PI with Conventional PD (FPI-PD) <i>Aqeel S. Jaber, Abu Zaharin Ahmad, Ahmed N. Abdalla</i>	15
Institutional	4	The Impact Behavior of the Predecessor and Successor on the Transmission of Family Businesses in Tunisia <i>B. Kettana</i>	21
International	5	Experimental Study of the Metal Foam Flow Conditioner for Orifice Plate Flowmeters <i>B. Manshoor, N. Ihsak, Amir Khalid</i>	32
	6	Evaluation of Performance Requirements for Seismic Design of Piping System <i>Bu Seog Ju, Woo Young Jung</i>	37
	7	Kinematic Optimal Design on a New Robotic Platform for Stair Climbing <i>Byung Hoon Seo, Hyun Gyu Kim, Tae Won Seo</i>	41
	8	Experimental Testing of Composite Tubes with Different Corrugation Profile Subjected to Lateral Compression Load <i>Elfetori F. Abdewi</i>	47
	9	Pleurotus Ostreatus for Durability Test of Rubber and Sengon Woods using Indonesian National Standard and Japanese Standard Methods <i>Elis N. Herliyana, Kunio Tsunoda, Yusuf S. Hadi, Arinana, Dewi A. Natalia</i>	51
	10	The Utility of Wavelet Transform in Surface Electromyography Feature Extraction - A Comparative Study of Different Mother Wavelets <i>Farzaneh Akhavan Mahdavi, Siti Anom Ahmad, Mohd Hamiruce Marhaban, Mohammad-R. Akbarzadeh-T</i>	57
	11	Research Topic Map Construction <i>Hei-Chia Wang, Che-Tsung Yang</i>	63
	12	Mainland Chinese Customers' Intention toward Medical Tourism in Taiwan <i>Hsiu-Yuan Wang, Shwu-Huey Wang</i>	66
	13	Performance Analysis of Adaptive LMS Filter through Regression Analysis using SystemC <i>Hyeong-Geon Lee, Jae-Young Park, Suk-ki Lee, Jong-Tae Kim</i>	69
	14	Dissipation of Higher Mode using Numerical Integration Algorithm in Dynamic Analysis <i>Jin Sup Kim, Woo Young Jung, Minho Kwon</i>	73
	15	A Multi-Agent Framework for Data Mining <i>Kamal Ali Albashiri, Khaled Ahmed Kadouh</i>	81
	16	A Combinatorial Approach to Planning Manufacturing Safety Programme <i>Kazeem A. Adebiji</i>	85
	17	SystemC Modeling of Adaptive Least Mean Square Filter <i>Kyu Han Kim, Soon Kyu Kwon, Heung Sun Yoon, Jong Tae Kim</i>	91
	18	Relative Contribution of Livestock Species to Meat Supply in Bauchi Metropolis, Bauchi, Nigeria <i>M. M. Abubakar, Y. M. Burrah</i>	96
	19	Parameters Estimation of Double Diode Solar Cell Model <i>M. R. AlRashidi, K. M. El-Naggar, M. F. AlHajri</i>	100
	20	Finite Element Modeling To Predict the Effect of Nose Radius on the Equivalent Strain (PEEQ) for Titanium Alloy (Ti-6Al-4V) <i>Moaz H. Ali, M. N. M. Ansari, Pang Jing Shen</i>	104
	21	A Comparative Study of PV Models in Matlab/Simulink <i>Mohammad Seifi, Azura Bt.Che Soh, Noor Izzrib.Abd.Wahab, Mohd Khair B.Hassan</i>	108
	22	Improved Hill Climbing and Simulated Annealing Algorithms for Size Optimization of Trusses <i>Morteza Kazemi Torbaghan, Seyed Mehran Kazemi, Rahele Zhiani, Fakhriye Hamed</i>	114
	23	Differences in Goal Scoring and Passing Sequences between Winning and Losing Team in UEFA-EURO Championship 2012 <i>Muhamad S., Norasrudin S, Rahmat A.</i>	118
	24	Evaluation of Green Roof System for Green Building Projects in Malaysia <i>Muhammad Ashraf Fauzi, Nurhayati Abdul Malek, Jamilah Othman</i>	124
	25	Preliminary Overview of Data Mining Technology for Knowledge Management System in Institutions of Higher Learning <i>Muslihah Wook, Zawiyah M. Yusof, Mohd Zakree Ahmad Nazri</i>	131
	26	An Implementation of Stipple Operations <i>Nakhoon Baek</i>	137
	27	A Standalone WebGL Supporting Architecture <i>Nakhoon Baek</i>	140
	28	Concepts, Goal, Techniques, Strategies and - Application of Psychotherapies for Depression: A Review Study <i>Naziha S. AbdAti, Norzarina M. Zaharim, Yasmin O. Mydin</i>	144
	29	An Assessment of Ozone Levels in Typical Urban Areas in the Malaysian Peninsular <i>Negar Banan, Mohd Talib Latif, Liew Juneng</i>	147
	30	Production of IAA by Bradyrhizobium sp. <i>Nisa Rachmania Mubarak, Imi Mahagiani, Aris Tri Wahyudi</i>	152
	31	Service Quality vs. Customer Satisfaction: Perspectives of Visitors to a Public University Library <i>Norazah Mohd Suki, Norbayah Mohd Suki</i>	156
	32	Adaptive Impedance Control for Unknown Non-Flat Environment <i>Norsinnira Zainul Azlan, Hiroshi Yamaura</i>	161
	33	Adaptive Impedance Control for Unknown Time-Varying Environment Position and Stiffness <i>Norsinnira Zainul Azlan, Hiroshi Yamaura</i>	167

Production of IAA by *Bradyrhizobium* sp.

Nisa Rachmania Mubarik, Irni Mahagiani, and Aris Tri Wahyudi

Abstract—The objective of this research was to determine the potency of indigenous acid-aluminium tolerant *Bradyrhizobium japonicum* as producer of indole acetic acid (IAA) and applied it as nitrogen fixation on local soybeans viz Anjasmoro, Tanggamus (yellow soybean seeds), and Detam (black soybean seed). Three isolates of acid-aluminium tolerant *Bradyrhizobium japonicum* (BJ) were used in this research, i.e. BJ 11 (wt), BJ 11 (19) - BJ 11(wt) mutant, and USDA 110 as a reference isolate. All of isolates tested to produce the IAA by using Salkowsky method. Effect of IAA production by each of *B. japonicum* was tested on growth pouch and greenhouse using three varieties of soybean. All isolates could grow well and produce IAA on yeast mannitol broth (YMB) medium in the presence of 0.5 mM L-tryptophan. BJ 11 (19) produced the highest of IAA at 4 days incubation compared to BJ 11 (wt) and USDA 110. All tested isolates of *Bradyrhizobium japonicum* have showed effect on stimulating the formation of root nodules in soybean varieties grown on Leonard bottle. The concentration of IAA on root nodules of soybean symbiotic with *B. japonicum* was significantly different with control, except on the treatment using Tanggamus soybean.

Keywords—Acid-aluminium tolerant isolate, *Bradyrhizobium japonicum*, indole acetic acid, soybean.

I. INTRODUCTION

MANY efforts have been developed to increase the productivity of soybean such as, cultivating the plant on acid soil which is supplemented with acid-tolerant root nodule bacteria producing indole-3- acetic hormone (IAA).

Acid-aluminium tolerant *Bradyrhizobium japonicum* is one of root nodule bacteria that can contribute on plant growth by providing fixed nitrogen in nodules of soybean grown in acid soil [1]. Some strains of *B. japonicum* were tolerant on an acid condition, even at the pH level 4.0-4.5 [2]. Twenty five strains of *B. japonicum* had been selected for acid tolerance using either solid and broth medium. The results showed that BJ 11 isolate has the highest tolerance on acid and had a good ability to grow on pH 4.5 media [1]. One of the indigenous isolate, BJ 11 (wt), has been shown to increase the growth and production of soybean grown in acidic soil (pH 5.0-5.5) [3].

Furthermore, Wahyudi *et al.* [4] constructed several mutants of *B. japonicum* using transposon Tn5 mutagenesis. One of the mutant of BJ 11, i.e. BJ 11(19), besides of the

wild-type were able to form root nodules on soybean could increase plant height, shoot- and root- weight, number of flowers, pods, seeds, seeds dry weight, and shoot and seed nitrogen content [5]. In the Leonard bottle experiment, BJ 11 (19) significantly could increase dry weight of the upper crop and nitrogen uptake of soybean cultivar Slamet higher than standard strain from USA, USDA 110 [6].

Fuhrmann [7] described the diversity of *Bradyrhizobium* strains dividing them into two groups, *B. elkanii* and *B. japonicum*, according to IAA production. The aim of this study was to determine the potency of plant growth promoting *Bradyrhizobium japonicum* as producer of IAA and its application on three varieties of soybean, i.e. Anjasmoro, Tanggamus, and Detam. Anjasmoro and Tanggamus are including yellow soybean seeds (*Glycine max*), whereas Detam is a black soybean seed (*Glycine soja*). Tanggamus is one of leading variety which is adapted in dry acid soil.

II. MATERIALS AND METHODS

A. Materials

Indigenous isolate of *B. japonicum*, i.e. BJ 11 (wt) and BJ 11 (19) one of BJ 11(wt) mutant, and reference isolate, USDA 110 were maintained at culture collection of Microbiology Laboratory and Institut Pertanian Bogor Culture Collection (IPBCC), Biology Department, Faculty of Mathematics and Natural Sciences, Bogor Agricultural University (IPB). Three varieties of soybean seeds, i.e. Anjasmoro, Tanggamus (yellow soybean seeds) and Detam (black soybean seed) were obtained from Research Institute for Beans and Tubers, Malang- Indonesia.

B. Inoculants Preparation

Production of IAA by *B. japonicum* was assayed as described by Patten and Glick [8]. A number of 10^8 cells/ml *B. japonicum* of each isolates was grown on Yeast Mannitol Broth (YMB) that consist of mannitol 10 gL^{-1} , K_2HPO_4 0.5 gL^{-1} , $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ 0.2 gL^{-1} , NaCl 0.2 gL^{-1} , yeast extract 0.5 gL^{-1} , rifampicin $50 \text{ } \mu\text{g ml}^{-1}$ [4] supplemented with 0.5 mM L-tryptophan or without (control). The isolates were incubated for about 8 days at 125 rpm shaker and room temperature. Bacterial cells were removed by centrifugation at 8400 g for 10 minutes at 4°C to obtain the crude extract of Indole acetic acid (IAA). One ml of the supernatant was mixed with 4 ml of Salkowski's reagent in the ratio of 1:4 and incubated at room temperature for 20 min. Development of a pink colour indicated indoles. The absorbance of supernatant mixture (supernatant + Salkowski's reagent) for IAA production was measured at 520 nm The quantity of indoles was determined

N.R. Mubarik is corresponding author and with the Department of Biology, Faculty of Mathematics and Natural Sciences, Bogor Agricultural University, Jalan Agatis, IPB Dermaga, Bogor 16680, Indonesia (phone: +62-251-8622833; fax: +62-251-8622833; e-mail: nrachmania@ipb.ac.id)

I. Mahagiani is a graduate from Major of Microbiology, Postgraduate School of Bogor Agricultural University, Bogor 16680, Indonesia.

A.T. Wahyudi is with the Department of Biology, Faculty of Mathematics and Natural Sciences, Bogor Agricultural University, Jalan Agatis, IPB Dermaga, Bogor 16680, Indonesia.

by comparison with a standard curve using an IAA standard graph.

C. Treatments with *B. japonicum* on Soybean Seedlings on Growth Pouch

Soybean seeds were selected based on size and healthiness (able to produce shoot). In a growth pouch study [9], soybean seeds were surface sterilized by using 95% ethanol for ten seconds, 5% H₂O₂ for five minutes and they were rinsed seven times using sterilized water. After 24 hours incubation, germinated seeds were selected based on 2-3 mm radicle length and put on growth pouch. Seed growth pouches sterilized at 121°C for 15 to 20 min were filled with sterile N-free Alva (pH 4.5) solution, respectively [6]. Each 100 µl culture of *B. japonicum* (10⁹ Cell/ml) was inoculated into germinated seeds and incubated for 7 days at room temperature and dark conditions. Seeds treated without culture served as controls. At 8 days after inoculation, *B. japonicum* inoculation, parameters of primary root length and number of lateral roots were measured as indicators of early growth promotion.

D. Greenhouse Experiments

Two days germinated seeds were sown on Leonard bottle [5]. Three soybean seedlings were grown charcoal-sand media on Leonard bottle containing nitrogen-deficient sterile N-free Ahmed-Evans (pH 6.9) and Alva (pH 4.5) solution, respectively. The solution provided by capillary watering. Seedlings were maintained for 35 days after planting (DAP) based on vegetative phase growth of soybean. The following parameters were measured: (a) shoot- and root- dry weight, (b) primary root length, (c) number of nodules per plant and (d) concentration of IAA_n on nodules. Extraction of IAA from nodule was used by Unyayar *et al.* method [10].

E. Statistical Analysis

Experiments were performed in triplicate. Values shown represent mean ± standard error of mean (SEM). Data were analyzed for variance by ANOVA followed by Duncan test ($\alpha = 0.05$). Analyses were performed using SPSS 16 programme for Windows.

III. RESULTS AND DISCUSSION

A. Growth and IAA Production

USDA 110 showed less growth than BJ 11 (wt) and BJ 11 (19) on YMB medium supplemented with 0.5 mM L-tryptophan (Fig. 1). At 8 days incubation, the number of cell was achieved by BJ 11 (wt) and BJ 11 (19) viz 6.0 and 5.8, respectively. Whereas USDA 110 only achieved log 3.4. All isolates could not produce IAA on YMB medium without supplemented with 0.5 mM L-tryptophan (data not showed). At 8 days incubation, in the presence of 0.5 mM L-tryptophan, BJ 11 (19) produced significantly higher IAA than BJ 11 (wt) and USDA 110 (Fig. 2). BJ 11 (19) produced IAA maximum at day 4, while BJ 11 (wt) at day 2, and USDA 110 at day 7.




Fig. 1 The growth of acid-aluminium tolerant *Bradyrhizobium japonicum* strains on YMB medium supplemented with 0.5 mM L-tryptophan




Fig. 2 IAA production of acid-aluminium tolerant *Bradyrhizobium japonicum* strains

B. Treatments with *B. japonicum* on Soybean Seedling in Growth Pouch

Treatment of soybean seeds inoculated with isolates BJ 11 (wt), BJ 11 (19) and USDA110 showed no significant effect to induce primary root elongation (Table I, II and III).

Treatments with isolates BJ 11 (wt), BJ 11 (19), and USDA110 on soybean seedlings showed significant effect to induce the formation of lateral roots better than control (without inoculation) on Detam soybean. The highest number of lateral root on each soybean variety was found on the seeds inoculated with USDA 110 on Anjasmoro soybean (Table I) and BJ 11(wt) on Tanggamus (Table II). Patten and Glick [8] reported that IAA-producing bacteria can stimulate the growth of the host root system. Lateral root growth of plants induced by a high concentration of IAA, while the main root was stimulated by low concentrations of IAA, between 10⁻⁹-10⁻¹² M.

TABLE I
PRIMARY ROOT ELONGATION AND NUMBER OF LATERAL ROOT OF ANJASMORO VARIETY SOYBEAN INOCULATED WITH *B. JAPONICUM* AT PH 4.5, 8 DAYS AFTER INOCULATION IN GROWTH POUCH

Treatments	Primary root length (cm)	Number of lateral root
USDA 110	3.07±0.75a	17.00±1.15 c
BJ 11(wt)	3.17±0.29a	11.00±0.58 ab
BJ 11(19)	8.00±0.5ba	9.00±2.00ab
Control (without inoculation)	2.73±0.25a	8.00±3.78a

Numbers on the same column followed by the same letter were not significantly different based on Duncan Multiple Range units in parentheses. Do not label axes only with units. Test ($\alpha = 0.05$). Data were the mean value of three replicates \pm deviation standard.

TABLE II
PRIMARY ROOT ELONGATION AND NUMBER OF LATERAL ROOT OF TANGGAMUS VARIETY SOYBEAN INOCULATED WITH *B. JAPONICUM* AT PH 4.5, 8 DAYS AFTER INOCULATION IN GROWTH POUCH

Treatment	Primary root length (cm)	Number of lateral root
USDA 110	2.67±0.29a	9.00±2.31a
BJ 11(wt)	4.17±1.26a	16.00±4.04b
BJ 11(19)	3.33±1.76a	8.00±0.58a
Control (without inoculation)	2.17±1.15a	8.00±3.51a

Numbers on the same column followed by the same letter were not significantly different based on Duncan Multiple Range Test ($\alpha = 0.05$). Data were the mean value of three replicates \pm deviation standard.

TABLE III
PRIMARY ROOT ELONGATION AND NUMBER OF LATERAL ROOT OF DETAM VARIETY SOYBEAN INOCULATED WITH *B. JAPONICUM* AT PH 4.5, 8 DAYS AFTER INOCULATION IN GROWTH POUCH

Treatment	Primary root length (cm)	Number of lateral root
USDA 110	15.00±0.5b	10.00±1.53b
BJ 11(wt)	16.50±1.32b	13.00±1.53c
BJ 11(19)	16.83±2.75b	10.00±1.53b
Control (without inoculation)	14.67±1.16b	5.00±1.00a

Numbers on the same column followed by the same letter were not significantly different based on Duncan Multiple Range Test ($\alpha = 0.05$). Data were the mean value of three replicates \pm deviation standard.

C. Greenhouse Experiments

At 35 DAP, treatments on soybean inoculated with isolates BJ 11 (wt), BJ 11 (19) and USDA110 showed no significant effect on shoot dry weight, root dry weight, and primary root length (Table IVa, b and c). The number of nodules formed on the roots of plants treated with isolate BJ 11 (wt) was significantly different when compared with control plants of the three varieties of soybean (Fig. 3, Table IV a, b and c). Treatments with BJ 11 (wt) and BJ 11 (19) showed better effect compared to treatment with USDA 110 on Tanggamus and Detam soybean, respectively. While the control plants were inoculated only with YMB (control without inoculation) just not able to form root nodules. This suggests that IAA also

played an important role in the formation of legume nodule [11].

The concentration of IAA on nodules was significantly different with control (Table IV), except on the treatment using Tanggamus soybean (Table IVb). This is presumably due to the complexity of the IAA influence on plant growth. The number of enzymes produced by microbes plays a role in activating of the IAA production, while other enzymes can inhibit its production [12].




Fig. 3 Treatment of *B. japonicum* inoculation on the growth of Anjasmoro soybean roots at 35 DAP on Leonard bottle under greenhouse condition. (a) Control (without inoculation), (b) USDA 110, (c) BJ 11 (wt), and (d) BJ 11 (19)

TABLE IV
B. JAPONICUM EFFECTS ON GROWTH OF (A) ANJASMORO, (B) TANGGAMUS, AND (C) DETAM SOYBEAN SEEDLINGS GROWN FOR 35 DAP UNDER GREENHOUSE CONDITIONS

Parameter	Anjasmoro			Control (without inoculation)
	BJ 11(wt)	BJ 11(19)	USDA110	
Shoot dry weight (g)	2,31±0,31 a	2,24±1,12 a	2,61±0,72 a	1,93±0,88 a
Root dry weight (g)	0,47±0,01 ab	0,40±0,07 a	0,47±0,09 ab	0,59±0,04 b
Root length (cm)	19,75±2,47 a	17,25±0,35 a	21,00±0,00 a	20,00±5,6 6a
Nodule number (plant ⁻¹)	33,50±0,71 b	29,00±5,66 b	34,50±12,02 b	0,00±0,00 a
Concentration of IAA on nodules (ppm)	10,81±3,39 b	9,77±1,91 b	7,69±0,00 ab	0,00±0,00 a

Numbers on the same column followed by the same letter were not significantly different based on Duncan Multiple Range Test ($\alpha = 0.05$). Data were the mean value of three replicates \pm deviation standard.

b. Tanggamus

Parameter	BJ 11(wt)	BJ 11(19)	USDA 110	Control (without inoculation)
Shoot dry weight (g)	1,60±0,69a	1,65±0,36a	1,65±0,08a	1,63±0,01a
Root dry weight (g)	4,00±0,00a	3,50±0,71a	4,00±0,00a	4,50±0,00a
Root length (cm)	17,75±1,77a	16,65±0,49a	18,50±4,95a	34,75±2,15a
Nodule number (plant ⁻¹)	21,00±0,00b	24,00±6,00a	14,00±5,66ab	0,00±0,00a
Concentration of IAA on nodules (ppm)	4,58±6,48a	0,00±0,00a	7,04±9,96ab	0,00±0,00a

Numbers on the same column followed by the same letter were not significantly different based on Duncan Multiple Range Test ($\alpha = 0.05$). Data were the mean value of three replicates \pm deviation standard.

c. Detam

Parameter	BJ 11(wt)	BJ 11(19)	USDA 110	Control (without inoculation)
Shoot dry weight (g)	2,13±0,58a	1,95±0,07a	2,07±0,02a	2,01±0,21a
Root dry weight (g)	0,55±0,00a	0,52±0,68a	0,46±0,00a	0,56±0,17a
Root length (cm)	21,00±2,83a	21,75±1,77a	22,50±2,83a	18,75±3,18a
Nodule number (plant ⁻¹)	25,50±3,53bc	34,00±8,48c	13,00±8,48ab	0,00±0,00a
Concentration of IAA on nodules (ppm)	12,15±0,89b	28,68±0,00c	17,37±0,00b	0,00±0,00a

Numbers on the same column followed by the same letter were not significantly different based on Duncan Multiple Range Test ($\alpha = 0.05$). Data were the mean value of three replicates \pm deviation standard.

Treatment plants inoculated with *Bradyrhizobium* strains showed trend the same influences on the shoot- and root- dry weight in all three soybean varieties compared to control (Table IV a, b and c). There were no significant effects. Husen *et al.* [12] reported that the roots are inhibited by the high concentration of IAA which can activate the 1-aminocyclopropane-1-carboxylate (ACC) aminase to synthesize ACC which is a precursor of the hormone ethylene. If isolate produces ACC deaminase, such as produced by *Pseudomonas*, this enzyme will able to stimulate the growth of soybean by pressing the ethylene biosynthesis.

IV. CONCLUSION

Bradyrhizobium japonicum isolates tested, i.e. BJ 11 (wt), BJ 11 (19), and USDA 110 could grow well and produce indole acetic acid (IAA) on yeast mannitol broth (YMB) medium in the presence of 0.5 mM L-tryptophan. Indole acetic acid produced by *Bradyrhizobium japonicum* have showed effect on stimulating the formation of root nodules in soybean varieties, i.e. varieties Anjasmoro, Tanggamus, and Detam grown on Leonard bottle.

ACKNOWLEDGMENT

This research was funded by Incentive Program for Applied Research the Ministry of Research and Technology, Republic of Indonesia to NRM (first author).

REFERENCES

- [1] T. Endarini, A.T. Wahyudi, and Tedja-Imas, "Selection of indigenous *Bradyrhizobium japonicum* tolerant acid-aluminium medium" (in Indonesia language), *Hayati*, vol. 2, pp. 74-79, 1995.
- [2] J. Denarie, P. Debelle, and C. Rosenberg, "Signaling and host range variation in nodulation," *Ann. Rev. Microbiol.*, vol. 46, pp.497-531, 1992.
- [3] N.R. Mubarik, T. Imas, A.T. Wahyud, Triadiati, Suharyanto, and H. Widiastuti, "The use of acid-aluminium tolerant *Bradyrhizobium japonicum* formula," *World Acad. Sci. Eng. Technol.*, vol. 53, pp. 879-882, 2011.
- [4] A.T. Wahyudi, A. Suwanto, Tedja-Imas and A. Tjahyoleksono, "Screening of acid-aluminium tolerant *Bradyrhizobium japonicum* strain analysis of marker genes and competition in planta," *Aspac. J. Mol. Biol. Biotechnol.*, vol. 6, pp. 13-20, 1998.
- [5] A.R.F. Situmorang, N.R. Mubarik, and Triadiati, "The use of inoculant acid- aluminium tolerant *Bradyrhizobium japonicum* for soybean growth on acid soils," *Hayati J. Biosci.*, vol. 16, pp. 157-160, 2009.
- [6] N.R. Mubarik, H. Habibah, and A.T. Wahyudi, "Greenhouse experiments of symbiotic effectiveness of acid-aluminium tolerance *Bradyrhizobium japonicum* on soybean plant", in *International Conference on Applied Life Sciences*. F. Nejadkoorki F, Ed. Rijeka, Croatia: InTech, 2012, pp. 337-342. DOI:10.5772/52498.
- [7] J.J. Fuhrmann, "Population diversity grouping of soybean bradyrhizobia", in *Advances in Agronomy* Vol 50, New York: Academic Press, 1993, pp. 67-105.
- [8] C. Patten and B.R. Glick, 1996. "Bacterial biosynthesis of indole-3-acetic acid," *Can. J. Microbiol.*, vol. 42, pp. 207-220, 1996.
- [9] A. Kamwal, "Production of indole acetic acid by fluorescent *Pseudomonas* in the presence of L-tryptophan and rice root exudates," *J. Plant. Pathol.*, vol. 9, pp. 61-63, 2009.
- [10] S. Unyayar, S.F. Topcuoglu, and A. Unyayar. "A modified method for extraction and identification of indole-3-acetic acid (IAA), gibberellic acid (GA3), abscisic acid (ABA), and zeatin produced by *Phanerochaete chrysosporium* ME446," [short communication], *Bulg. J. Plant. Physiol.*, vol. 22, pp. 105-110, 1996.
- [11] W.J. Hunter, "Increased nodulation of soybean by a strain of *Bradyrhizobium japonicum* with altered tryptophan metabolism," *Let. Appl. Microbiol.*, vol. 18, pp. 340-342, 1994.
- [12] E. Husen, A.T. Wahyudi, A. Suwanto, R. Saraswati, "Prospective use of 1-aminocyclopropane-1-carboxylate deaminase-producing bacteria for plant growth promotion and defense against biotic and abiotic stresses in peat-soil-agriculture," *Microbiol. Indones.*, vol. 2, pp. 107-111, 2008.