



The 7th INTERNATIONAL SEMINAR ON TROPICAL ANIMAL PRODUCTION

"Contribution of Livestock Production on Food Sovereignty in Tropical Countries"



PROCEEDINGS

© Hak cipta milik IPB (Institut Pertanian Bogor)

September 12 – 14, 2017
Yogyakarta, Indonesia

ISBN: 978-979-1215-29-9

Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.



Organized by :

Faculty of Animal Science, Universitas Gadjah Mada Yogyakarta
Indonesian Society for Sustainable Tropical Animal Production [ISSTAP]
INDONESIA, 2017



- Hak Cipta Dilindungi Undang-Undang
© Hak cipta milik IPB. Institut Pertanian Bogor
Bogor Agricultural University
1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
 2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

PROCEEDINGS

The 7th ISTAP

International Seminar

on Tropical Animal Production

September 12 – 14, 2017, Yogyakarta, Indonesia

“Contribution of Livestock Production on Food Sovereignty in Tropical Countries”

Published by:

Faculty of Animal Science
Universitas Gadjah Mada

ISBN: 978-979-1215-29-9

©2017, Faculty of Animal Science Universitas Gadjah Mada

No part of this publication may be reproduced or transmitted in any forms or by any means, electronic or mechanical, now known or heretofore invented, without written permission from the publisher.

Address: Faculty of Animal Science, Universitas Gadjah Mada
Jl. Fauna 3, Kampus UGM, Bulaksumur, Yogyakarta 55281, Indonesia
Phone: +62-274-513363/+62-274-560868
Fax: +62-274-521578
Email: istap@ugm.ac.id
Website: www.istap.ugm.ac.id



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Abdul Razak Alimon
Adiarto
Bambang Suhartanto
Endang Baliarti
F. Trisakti Haryadi
Ismaya
Jambri
John Moran
Liang Chou Hsia
Metta Wanapat
Nono Ngadiyono
Nurlyani
Ristianto Utomo
Sudi Nurtini
Sumadi
Tety Hartatik
Vu Dinh Ton
Wihandoyo
Yuny Erwanto
Zaenal Bachruddin
Zuprizal

Cuk Tri Noviandi
(Universitas Gadjah Mada, Indonesia)

Editorial Board

Abdul Razak Alimon (Universiti Putra Malaysia)
Adiarto (Universitas Gadjah Mada, Indonesia)
Bambang Suhartanto (Universitas Gadjah Mada, Indonesia)
Endang Baliarti (Universitas Gadjah Mada, Indonesia)
F. Trisakti Haryadi (Universitas Gadjah Mada, Indonesia)
Ismaya (Universitas Gadjah Mada, Indonesia)
Jambri (Universitas Gadjah Mada, Indonesia)
John Moran (Profitable Dairy System, Australia)
Liang Chou Hsia (National Pingtung University of Science and Technology, Taiwan)
Metta Wanapat (Khon Kaen University, Thailand)
Nono Ngadiyono (Universitas Gadjah Mada, Indonesia)
Nurlyani (Universitas Gadjah Mada, Indonesia)
Ristianto Utomo (Universitas Gadjah Mada, Indonesia)
Sudi Nurtini (Universitas Gadjah Mada, Indonesia)
Sumadi (Universitas Gadjah Mada, Indonesia)
Tety Hartatik (Universitas Gadjah Mada, Indonesia)
Vu Dinh Ton (Vietnam National University of Agriculture)
Wihandoyo (Universitas Gadjah Mada, Indonesia)
Yuny Erwanto (Universitas Gadjah Mada, Indonesia)
Zaenal Bachruddin (Universitas Gadjah Mada, Indonesia)
Zuprizal (Universitas Gadjah Mada, Indonesia)

Editorial Staff

Amir Husaini Karim Amrullah, Ahmad Fathoni, Aji Praba Baskara, Endah Wulandari,
Galuh Adi Insani, Rima Amalia Eka Widya, Slamet Widodo,
Sri Agtin Tejawati, Sutari, Zazin Muknila



LIST OF CONTENTS		
PREFACE		
REPORT FROM ORGANIZING COMMITTEE		
WELCOME ADDRESS.....		
OPENING REMARKS		
LIST OF CONTENTS.....		
PLENARY SESSIONS		
1	Feeding Strategies on Farms to Improve Livestock Productivity and Reduce Methane Production Metha Wanapat, Thiwakorn Ampapon, Chaowarit Mapato, Burarat Phesatcha and Bounnaxay Viennasay	1-9
2	Success Stories in Asia's Quest for Increasing its Domestic Milk Production John Moran, Geoff Walker and Mohammad Abdus Salam	10-19
3	The Use of Modern Technology for Production of Traditional Tropical Small Ruminants Liang Chou Hsia	20-23
4	Role of Livestock Production in Farm Households' Economy and Challenges in Perspective of Sustainable Development Vu Dinh Ton	24-32
5	Halal Life Style and Global Trade Tridjoko Wisnu Murti	33-39
6	Shelf-life Extension of Fresh and Processed Meat Products by Various Packaging Applications Keun Taik Lee	40-51
RUMINANT NUTRITION		
23306-	Morphological Characteristics and Biomass Production of Chicory <i>intybus</i> in Yogyakarta	
45670-		
1-SM	Nafiatul Umami, Bambang Suhartanto, Ali Agus, Bambang Suwignyo, Nilo Suseno, Farrah Siti Zakkiyah, and Tim Cookson	52-56
24026-	Effects of Different Season on Dominant Species and Chemical Composition Tropical Agricultural Weeds	
50079-		
2-SM	Bambang Suwignyo, Bambang Suhartanto, Briyan Ahmad Suparja, Wahyudin, and Galih Pawening	57-61



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

25003- 50433- 1-SM	The Evaluation of Wafer Feed Supplement Containing Leucaena Leaf on Pasundan Calves Y. Retnani, S. Suharti, L. Khotijah, I. Prihantoro, Taryati, Herni, and D. Argadyasto	62-67
24480- 48720- 1-SM	Incremental Level of <i>Chromolaena odorata</i> in Complete Diet for a Cows Fattening G.F. Bira, M.L. Mullik, and Dahlanuddin	68-72
24745- 49163- 1-SM	<i>In Vitro</i> Degradation and Rumen Fermentation Characteristics of Soybean Meal Protected with Different Levels of Formaldehyde Wulandari, Budi Prasetyo Widyobroto, Cuk Tri Noviandi, and Ali Agus	73-78
24619- 49108- 1-SM	Characteristic Comparison of BMR and Conventional Sorghum as Promising Forage Grown on Ultisol Soil Applied Different Levels of Organic Fertilizer Widhi Kurniawan, Astriana Napirah, Rahman, Luki Abdullah, and Supriyanto	79-84
24713- 49288- 1-SM	Chemical Composition and <i>In Sacco</i> Degradation of Fish Waste Meal as Alternative Protein Feed Source Maurinda Safitri, Cuk Tri Noviandi, and Ristianto Utomo	85-89
24474- 48705- 1-SM	Interaction of Fertilizer, Light Intensity and Media on Maize Growth in Semi-Hydroponic System for Feed Production Nur Rochmah Kumalasari, Asep Tata Permana, Riry Silvia and Anggia Martina	90-96
24778- 49582- 1-SM	The Effect of Alfalfa Meal Supplementation in Concentrate on Feed Digestibility of Ettawa Crossbred Goat Chusnul Hanim, I Gede Suparta Budisatria, and Retnowati Diah Pratiwi	97-102
23593- 46215- 1-SM	The Inclusion Effects of Indigofera zollingeriana in Oil Palm Fronds Based Diet on Rumen Fermentation Kinetics and Microbial Yields In Vitro S. Fakhri, A. Jayanegara, and Yurleni	103-106
24618- 49103- 1-SM	Fermentation Characteristics of Corn Stover and <i>Gliricydia sepium</i> Combination Silage with Different Presentations Trisna Ayuni, Widhi Kurniawan, Astriana Napirah, and Rahman	107-111
24704- 49268- 1-SM	The Effect Additional of Sodium Carbonate as Buffer in Utilization of Tofu Byproduct Lactic Acid Bacteria Fermentation as Basal Ration on Rumen Fermentation Bligon Goat During Lactation Farkhan Ihsani, Zaenal Bachruddin, Cuk Tri Noviandi and Lies Mira Yusiaty	112-116



Hak Cipta Dilindungi Undang-Undang

23346-	Nutritional Value and In Vitro Digestibility of Shrimp Waste Fermented with Isoptericola sp. A10-1	
45811-	Amrih Prasetyo, Lies MiraYusiati, Yuny Erwanto, Wihandoyo, Nanung Agus Fitriyanto, and Rusman	117-121
1-SM		
23570-	In Vitro Nutrients Digestibility of the Combination Titonia (<i>Tithonia diversifolia</i>) and Napier Grass (<i>Pennisetum purpureum</i>)	
46141-	Novirman Jamarun, Elihasridas, Roni Pazla, and Fitriyani	122-127
1-SM		
25168-	The Effect of Cumin (<i>Cuminum cyminum</i>) Addition as Source of Essential Oils on Nutrien Digestibility, VFA, Amonia and Methan Production	
51252-	Asih Kurniawati, Widodo, Wayan T. Artama, and Lies Mira Yusiati.....	128-132
1-SM		
25155-	<i>Calliandra calothrysus</i> as Tannins Source for In Vitro Methane Production	
5229-	Inhibitor Agents	
1-SM	Muhlisin, M. A. Anas, C. Hanim, and L. M. Yusiaty	133-136
28128-	Effect as Feed Supplement Wafer the Nutrient Consumption and Digestibility of Pasundan Cattle	
62194-	Herni, Y. Retnani, and S. Suharti	137-142
1-SM		
28127-	Nutrient Composition and In Vitro Digestibility of <i>Brachiaria decumbens</i> Cv.	
62192-	<i>Basilisk</i> With Different Level of Fertilizer	
1-SM	Nafiatul Umami, Adib Norma Respati, Bambang Suhartanto, and Nilo Suseno	143-146
24928-	In Vitro Gas Production of Lemongrass Leaves as Essential Oil Source and its	
50085-	Effect on the Kinetics of Gas Production	
1-SM	Insani Hubi Zulfa, Asih Kurniawati, and Supadmo	147-151
24731-	Effects of Carbon:Nitrogen Ratio On Quality of <i>Chromolaena odorata</i> Silage	
49416-	Marthen L. Mullik, Gustaf Oematan, Twen Dami Datto, Bambang Permana, Yelly M. Mulik.....	152-155
1-SM		
24755-	In Vitro Digestibility of Timor-Leste Native Grass Supplemented with	
49518-	<i>Leucaena leucephala</i> and <i>Corypha elata Robx</i>	
1-SM	Luis T, Endang Baliarti, Cuk Tri noviandi and Tri Satya Mastuti Widi ..	156-160
23345-	Nutrient Intake and Digestibility of Kacang Goat Received Rations Containing	
45812-	Solid Waste of Herbal Industry	
1-SM	Arif Nindyo Kisworo, Ali Agus, Kustantinah, and Bambang Suwignyo...	161-166
22373-	The Effect of Gamma Irradiation on Nutrient Profiles and Total Gas	
42263-	Production In Vitro of Two Sorghum Straw Variety	
2-SM	Teguh Wahyono, Shintia NW Hardani, and Suharyono	167-171

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Hak Cipta Dilindungi Undang-Undang
© Hak Cipta milik PPI (Institut Pertanian Bogor)

Regional Agricultural University



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

23316- 45667- 1-SM	The Effect of Rhizobium Inoculation and Harvesting Time on the Quality and Biomass Productivity of Peanut Straw (<i>Arachis hypogea</i>) in Sandy Soil Nafiatul Umami, Bambang Suhartanto, Ristianto Utomo, Putri Dwinda Heristiningrum	172-177	
25248- 51206- 1-SM	Feed Evaluation based on Tannin Content and Gas Production of Twelve Tropical Feedstuffs Kustantinah Adiwimarta, Edwin Indarto, Zuprizal, Cuk Tri Noviandi, Nanung Danar Dono, and Fajar Aji Mukti	178-184	
27013- 58162- 1-SM	The Effect of Starter Addition on Digestibility Value of Complete Feed Fermentation-Based Kumpai Minyak grass (<i>Hymenachne amplexicaulis</i>) Anggriawan N.T.P., Andriyani Astuti, Ristianto Utomo, and Subur Priyono Sasmito Budi	185-188	
24723- 49338- 1-SM	Digestibility and Ruminal Fermentation Characteristic of Native Grass Silage Supplemented with Different Levels of <i>Leucaena leucocephala</i> Ryan Aryadin Putra, Cuk Tri Noviandi, and Nafiatul Umami	189-195	
23708- 46655- 1-SM	Quality of Sorghum Silage Fermented with Starch of Gebanga Flour (<i>Corypha gebanga</i>) and Lactic Acid Bacteria as Additives Lilo J. M. Christna Kale Lado, Ristianto Utomo, Cuk Tri Noviandi, and Nono Ngadiyono	196-199	
24680- 49226- 1-SM	Physical Characteristics Evaluation of Kumpai Minyak Grass (<i>Hymenachne amplexicaulis</i>) Silage Nur Muhammad, Andriyani Astuti, Ristianto Utomo, and Subur Priyono Sasmito Budi	200-204	
24809- 49652- 1-SM	<i>In Vitro</i> Digestibility of Fermented Rice (<i>Oryza sativa</i>) Straw and Cassava (<i>Manihot utilissima</i>) Leaves Basal Feed Supplemented with Cassava Tuber Cuk Tri Noviandi, Ristianto Utomo, and Zazin Mukmila	205-208	
24889- 49944- 1-SM	Physical and Organoleptic Quality of Pellet with Differences Tuber Type as Binder Andriyani Astuti, Chusnul Hanim, and Hanivan Akil	209-215	
23745- 62294- 1-SP	<i>In vitro</i> Digestibility and Gas Production Characteristics of Four <i>Brachiaria</i> Cultivars as Fresh Fodder Dewi Ratih Ayu Daning and Riyanto	216-222	
MONOGASTRIC NUTRITION AND PRODUCTION			
23366- 45870- 1-SM	The Effect of Daily Activities Stingless Bees of <i>Trigona</i> sp. on Honey Production Agussalim, Ali Agus, Nafiatul Umami, and I Gede Suparta Budisatria	223-227	



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

24605- 49049- 1-SM	Effect of Utilization of Maggot (<i>Hermetia illucens</i>) Meal Substituted Fish Meal in the Diets on Broiler Chicken Performance J. F. Umboh, M. Najoan, F. N. Sompie, B. Bagau, and M. Imbar	228-234
24616- 49078- 1-SM © Hak Cipta melindungi Institut Pertanian Bogor	The Use of Nano-Encapsulation of <i>Morinda citrifolia</i> Fruit Extract in Drinking Water as Phytotherapy Based Feed Additive in Laying Hens Zainal Choiri, Nanung Danar Dono, Chusnul Hanim, Bambang Ariyadi, and Zuprizal.....	235-239
23617- 46256- 1-SM	Utilization of Skin of Mung Bean Sprouts for Weaning Rabbits Haryati T, Soewandi B. D. P., and Raharjo Y.....	240-243
23648- 46043- 1-SM	Production of Chicken Carcass and Non Carcass of Kampung Chickens Who Received Rations Skin Dragon Fruit Flour (<i>Hylocereus polyrhizus</i>) Fermented Gusti A.M. Kristina Dewi, I M. Nuriyasa and I W.Wijana.....	244-250
24936- 5006- 1-SM	The Effect of Dietary Violet Roselle Flower and Moringa Leaves Meal Supplementation on Blood Profile of Broiler Chickens Akyas Manjaniq, Nanung Danar Dono, and Wihandoyo.....	251-255
24687- 49039- 1-SM	Growth Performances of Broiler Chicken Fed on Diets Supplemented with Graded Levels of Neem Leaf Meal K.G. Wiryawan, S. Pratama and Sumiati.....	256-259
24924- 50074- 1-SP	Effects of Dietary Turmeric and Red Ginger Meal on Broiler Chickens Performance in Tropical Area Etha 'Azizah Hasiib, Edi Suryanto, and Nanung Danar Dono.....	260-265
25169- 51030- 1-SM	Genetic Parameter Estimation on Pra Production Traits of Alabio and Mojosari Ducks After Selection Based on Egg Production in Two Generation Jafendi H. Purba Sidadolog, Isti Damayanti, Tohir, Dyah Maharani and Tety Hartatik.....	266-275
24947- 50136- 1-SM	Effect of Using Jackfruit Leaf (<i>Artocarpus heterophyllus</i>) as Disinfectant on Decreasing Number and Genus of Fungi in Poultry Incubator Hidayati, Y.A., E. T. Marlina., and D.Z. Badruzzaman.....	276-279
23556- 46115- 1-SM	Effects of Sago Waste as Local Feed Resource That Gives Cellulose Enzyme in Feed on Carcass and Organ Characteristics of Broiler Chickens Deki Zulkarnain, Zuprizal, Wihandoyo and Supadmo.....	280-285
23738- 46733- 1-SM	Effects of a Natural Preparation Based on Kaolin, Olive Leaf, Turmeric and Mild Paprika on the Performance of Laying Hens D. Ouachem and S. Lombarkia.....	286-293



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
 - b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Ciptaan Karya Institut Pertanian Bogor	Togog Agroindustrial University	xii
23906- 47304- 1-SM	Effect of Four Dietary Lysine Concentration on Body Weight Gain of Broiler Breeders (29-50 weeks of age) Kept at Four Different Temperatures Abdulameer Alsaffar	294-297
24136- 47879- 1-SM	Addition of Feed Additive Binahong (<i>Anredera Cordifolia</i> (Ten.) Steenis) Leaf Meal into Diets on Growth Performance of Broiler Chickens Nur Widodo, Wihandoyo, Nanung Danar Dono, and Zuprizal	298-302
24439- 48629- 1-SM	Growth of Merawang Chicken with Arab Chicken Crossing and It's Reciprocal Age 1 to 10 Weeks Darwati S, Afnan R, and Maulana VS	303-308
25992- 53113- 1-SM	Effect of <i>Curcuma domestica</i> Stock Solution on Layer Performance, Egg Quality, and Antioxidant Activity Yuli Frita N, H. L. Chang, M. J. Lin, and E. Widodo	309-312
24458- 48662- 1-SM	The Effect of Fermentation on the Nutritional Content of <i>Amorphophallus sp</i> as Poultry Feed Theresia Nur Indah koni, Zuprizal, Rusman, and Chusnul Hanim	313-318
24440- 48656- 1-SM	Potency of Persimmon Fruit (<i>Dyospiros kaki</i>) as an Organic Antibiotic, Antifungal and Anthelmintic on the Livestock : an Analysis Retno Widyan, Muh. Hisyam Hermawan, Susan Maphilindawati Noor, AETH. Wahyuni, and Kuswandi Tirtodiharjo	319-323
24301- 48384- 1-SM	Isolation and Identification of Fungi Type from Juice of Cabbage Waste as Probiotic Agency Cahya Setya Utama, Zuprizal, Chusnul Hanim, and Wihandoyo	324-328
24627- 49119- 1-SM	Provision of Bangun-Bangun Leaf (<i>Coleus amboinicus Lour</i>) on the Feed Pregnant Sow to Increase Productivity Nyoman Suyasa and Ida Ayu Parwati	329-333
24630- 49121- 1-SM	Utilization of Cattle Waste for Replaced Rice Bran on Native Chicken Feed to Reduce Feed Conversion Ratio (FCR) Nyoman Suyasa, Suprio Guntoro and Ida Ayu Parwati	334-339
23332- 45739- 1-SM	Effect of Cage Densities and Betaine Supplementation on Nitrogen Retention in Quails Adi Ratriyanto, Rysca Indreswari, and Sigit Prastowo	340-344
23588- 46204- 1-SM	Growth Performance of Broiler Chickens fed with Crude Glycerin from Large and Medium Scale Biodiesel Producers in Thailand Astiari Tia Legawa, Sutha Wattanasit, and Chaiyawan Wattanachant	345-349



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

23538-	Study of Nutrient Requirement of Native Chicken Fed by Free Choice Feeding System at a Grower Phase	350-356
46066-	Charles V. Lisnahan, Wihandoyo, Zuprizal, and Sri Harimurti.....	
1-SM		
24490-	Formulation and Characterization of Cinnamon Bark Essential Oil (<i>Cinnamomum burmanii</i>) Nanoemulsion as Poultry Feed Additive Candidate	357-362
48751-	Aji Praba Baskara, Bambang Ariyadi, Ronny Martien, Nanung Danar Dono, and Zuprizal.....	
1-SM		
24596-	Growth Performance of Male Mojosari-Alabio Crossbred Ducks Fed Diets Containing Green Algae (<i>Ulva fasciata delile</i>) in Tropical Area	363-367
49027-	Nanung Danar Dono and Ali Wibowo.....	
1-SM		
FOOD AND ANIMAL PRODUCT, AND BY-PRODUCTS		
23555-	The Quality of Salted Egg Using Kemangi Leaf (<i>Ocimum basillicum L.</i>)	368-373
45847-	Herly Evanuarini, Imam Thohari, and Ristyta Andree.....	
1-SM		
23577-	Isolation of Bacteria Producing Enzyme Collagenase From Waste of Pufferfish (<i>Arothon reticularis</i>) Skin	374-379
46665-	Raden Lukas Martindro Satrio Ari Wibowo, Ambar Pertiwiningrum, Zaenal Bachruddin, Nanung Agus Fitriyanto T. Nakagawa, and T. Hayakawa.....	
2-SM		
24588-	Effect of Heating on Antioxidant Activity on Edible Bird Nest	380-386
48995-	Ravisangkar, R., Wong, I.P., and Abdul Salam, B.	
1-SM		
24646-	Physical and Sensory Properties of Gluten-Free Modified Cassava Flour-Based Cookies	387-394
49171-	Andian Ari Anggraeni, Titin Hera Widi Handayani, and Sri Palupi.....	
1-SM		
24941-	Food Safety on Meat Products Based on Coliform Contamination	395-399
50118-	Ellin Harlia, Denny Suryanto, Teguh N, and K. N. Rahmah.....	
1-SM		
24473-	Chemical and Sensory Quality of Milk Fermented by Starter Combination of Lactobacillus Plantarum Dad 13, <i>Lactococcus lactis</i> , and Yeast	400-408
57810-	Dina Tri Marya, Widodo, Sunarti, and Nurliyani.....	
1-SP		
24943-	Application of Carrageenan on Quail Nugget without Seasoning Stored at Room Temperature	409-413
50120-	Denny Suryanto, W.Tejakusuma, K.N.Rahmah, and E. Harlia.....	
1-SM		

© Hak Cipta Institut Pertanian Bogor

IPB (Institut Pertanian Bogor)

Bogor Agricultural University



Hak Cipta Dilindungi Undang-Undang

© Hak Cipta dilindungi undang-undang
Institut Pertanian Bogor

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
 - b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

24591- 49012- 1-SM	Effects of Addition of Seaweed (<i>Kappaphycus alvarezii</i>), Fish Gelatin And Chicken Feet Gelatin on Quality Characteristics of Chicken Sausages Babji, A. S., Ravisangkar, R. and Nor Hidayah, I.	414-418
24221- 48158- 1-SM	Properties of Goat Milk Kefir Supplemented with Glucomannan from Porang (<i>Amorphophallus oncophyllus</i>) Tuber Nurliyani, Eni Harmayani, and Sunarti	419-424
24274- 48305- 1-SM	The Use of Manure from Cattle Fed Different Level of Concentrate for <i>Musa domestica</i> Larvae Production and Its Utilisation as Chicken Feed IGN Jelantik, TT Nikolaus, H Naiulu, I Benu and C Leo-Penu	425-430
24647- 49173- 1-SM	The Effect of Merapi Volcanic Ash Addition to the Quality of Liquid Organic Biofertilizer Made from Goat and Sheep Feces Nanung Agus Fitriyanto, Kinanthi Hening Swari Jayeng Sashanti, Bambang Suwignyo, Nafiatul Umami, and Yuny Erwanto	431-436
24648- 49175- 1-SM	Optimization of Indonesian Goat Satay Gridiron with Velocity Airflow Control at 40 Skewers Capacity Endy Triyannanto, Muslim Mahardika, and Yudi Pranoto	437-440
24650- 49179- 1-SM	Physical and Sensory Characteristics of Broiler Chicken Sausages With Addition of Spirulina (<i>Arthrospira platensis</i>) Edi Suryanto, Jamhari, Rio Olympias Sujarwanta, Endy Triyannanto, Setiyono, Rusman, Friska Putri Sumajava, and Addi Jaler Mukhshon	441-445
23598- 46223- 1-SM	Increased Physical and Morphological Properties of Edible Film Bovine Split Hide Gelatin With the Addition of SPI And Transglutaminase Dwi Wulandari, Yuny Erwanto, Yudi Pranoto, and Rusman	446-450
24298- 48377- 1-SM	The Effect of Kinds of Sugar on Chemical and Physical Quality of Ground Beef Jerky with Sun Drying Jamhari, Edi Suryanto, and Dyah Ayu Laksmiwati	451-457
24456- 48659- 1-SM	Analysis of Component and Water Holding Capacity from Distillate Waste of Citronella (<i>Cymbopogon nardus</i>) as A Litter Material Cystske Sabuna, Wihandoyo, Sri Harimurti, and R. Wisnu Nurcahyo	458-463
24766- 49554- 1-SM	The Quality of Processed Eggs Produced by Tenant of the Iptek for Poultry Agribusiness Entrepreneurship Hartatik, Yunianta and Sudarisman	464-467
24621- 56805- 1-SM	Effect of Particle Size of Egg Shell Mash with Treated Phosphoric Acid in Feed on Performance and Status of Blood Plasma Galuh Adi Insani, Tri Yuwanta, and Wihandoyo	468-474



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat suatu masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

23734- 46739- 1-SM	Vegetable Tanning Process of Starry Trigger Fish (<i>Abalistes Stellaris</i>) and Its Plotting to Leather Products Indri Hermiyati, Muh. Wahyu Syabani, and Fitrlia Silvianti	475-484
24494- 48760- 1-SM	Utility of Biogas Sludge as Media for White Oyster Mushroom (<i>Pleurotus florida</i>) Ambar Pertiwiningrum, Nanung Agus Fitriyanto, Cahyono Agus, and Ramdhon Dwi Nugroho	485-495
23556- 45848- 1-SM	The Effect of Volcanic Ash Addition to the Chemical Quality of Excreta Organic Fertilizer Viagian Pastawan, Yuny Erwanto, and Nanung Agus Fitriyanto	496-500
24585- 48983- 1-SM	The Case of Helminthiasis on Beef Cattle at Slaughter House in Indonesia Retno Widyan and Ida Herawati	501-505
23566- 46748- 1-SM	Physical-Chemical, Microbial and Sensory Characteristics of Buffalo and Cattle Grinding Dry Cured Meat at Sunlight and Oven Drying Methods Bastoni, Setiyono, and Yuny Erwanto	506-514
AGRICULTURE AND LIVESTOCK SOCIO-ECONOMICS		
23329- 45227- 1-SM	Strategy of Business Development Based on Potential Area of Livestock in Gianyar Regency B. R. T. Putri, I. G. N. G. Bidura, I. B. G. Partama, James Hellyward, and Ni Wayan Tatik Inggiati	515-521
23333- 45741- 1-SM	Canvassing the Complexity of Beef Cattle Farming; an Entry Point to Qualitative Modeling Novie Andri Setianto, Nunung Noor Hidayat, and Pambudi Yuwono	522-527
23565- 46131- 1-SM	Studies Institute Capital PT PNM Branch Cirebon against Cattle Development in the Sub District Cibingbin Dukuhbadag Village District Kuningan Fitri Dian Perwitasari and Devi Yuliananda	528-532
24675- 49219- 1-SM	Beef Cattle Farmers' Group Cohesion in Bantul and Sleman Regencies Yogyakarta Special Region Fransiskus Trisakti Haryadi, Rini Widiati, Tri Anggraeni Kusumastuti, and Siti Andarwati	533-537
24640- 49141- 1-SM	Farmers' Individual Potential in Different Sizes of Local Beef Cattle Farming in Kebumen, Indonesia Moch. Sugiarto, Syarifuddin Nur, Oentoeng E. Jatmiko, and Marti Ike Wahyu	538-543

© Hak Cipta ini milik **Institut Pertanian Bogor**

Bogor Agricultural University



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

24561- 48918- 1-SM	Allocation of Expenditure for Livestock Products Foods in Indonesia: Working-Lesser Approach Mujtahidah Anggriani Ummul Muzayyanah, R. Ahmad Romadhoni Surya Putra, Suci Paramitasari Syahlani, and Nurul Hasanah Uswati Dewi	544-548
23614- 46249- 1-SM	The Motivation of Sheep Farmers in the Villages around the IPB Campus to Improve Livestock Productivity L. Cyrilla, M. Yamin, and F.N. Rahmah	549-553
23921- 57773- 1-SM	Adoption of Animal Husbandry Innovations by Dairy Farmers in Pasuruan Regency, East Java Province Nurlaili, Dewi Ratih Ayu Daning, and Rochijan.....	554-559
24163- 48673- 1-SM	Assistance Technology of Livestock Development Area in East Nusa Tenggara Sophia Ratnawaty and A. Pohan.....	560-565
24654- 49884- 1-SM	Evaluation of Perception and Preference of Milk Consumption Among Elementary School Age Children in Low Income Household Suci Paramitasari Syahlani and Mujtahidah Anggriani Muzzayanah.....	566-570
28229- 62596- 1-SM	The Effect of Innovation on Increasing Productivity and Goat Farming Income in Cocoa-Goat Integration System Gunawan, Wiendarti Indri Werdhani, and I. Gede Suparta Budisatria..	571-575
24714- 49294- 1-SM	Determining the Cost of Beef Production from Cattle Fattening in the Smallholder Farming Rini Widiati, Tri Satya Mastuti Widi, and Tian Jihadhan Wankar	576-580
24465- 48678- 1-SM	Feasibility of Introducing Feeding Technology on Beef Cattle Fattening in Timor Island, East Nusa Tenggara Sophia Ratnawaty, Didiek A. Budianto, and Firmansyah Tri Saputra....	581-588
24178- 48037- 1-SM	Factors Influencing Smallholder Farmer's Decision to Adopt Artificial Insemination as A Cattle Reproduction Technology in Yogyakarta R. Ahmad Romadhoni Surya Putra, Restiyana Agustine, and Tri Satya Mastuti Widi.....	589-593
24817- 49668- 1-SM	The Potential of Livestock Farming in the Agricultural Income Structure of Rural Farmers Sudi Nurtini, R. Ahmad Romadhoni Surya Putra, and Defi Chusnul Chotimah	594-597



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat suatu masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

© Hak Cipta milik IPB (Institut Pertanian Bogor)	<p>24939-50114-2-SM Optimizing Farm Inputs on Silage Maize Production Integrated with a Small Scale Dairy Farming Hadiana, M.H., Rivianda, A.D., Suptraman, H., and Suryadi D. 598-603</p> <p>24719-49318-1-SM Financial Analysis of Minister of Agriculture Regulation no 49 / permentan/pk. 440/10/2016 About the Ration of Import Cow Tian Jihadhan W, Tri Satya Mastuti W, Diah Maharani, Endy Triyannanto, I Gede Budisatria, and Rochadi Tawaf. 604-607</p> <p>27671-57855-1-SM Corn and Cattle Integration to Support NTB's One Million Cattle Program in Lombok Island Soekardono and Anwar Fachry. 608-615</p> <p>24655-49866-1-SM The Influence of Social Capital on the Effectiveness of Farmers' Group Functions Aditya Alqamal Alianta, Fransiskus Trisakti Haryadi, and Yustina Yuni Suranindyah. 616-620</p> <p>23601-46228-1-SM Financial Analysis of Medium Scale Pig Farming Livestock in The Gianyar District Ida Ayu Parwati and Nyoman Suyasa. 621-627</p> <p>24726-49950-1-SM Participation of Jabres Cattle Farmers in The Development of Jabres Cattle Rising at Barokah Farmers Group Kebandungan Bantarkawung Brebes Siti Andarwati, Nono Ngadiyono, I Gede Suparta Budi Satria, Muhammad Hasan Albanna, Miftahush Shirotul Haq, and Panjono. 628-633</p> <p>27155-57876-1-SM Income Analysis on Capital Assistance Model through the Revolving Ettawa Crossbred Goat in Yogyakarta Indonesia Tri Anggraeni Kusumastuti, Rini Widiati, and Agung Wijaya. 634-638</p> <p>24464-48677-1-SM Developing Strategy for Dairy Cattle Business in Boyolali Regency, Central Java, Indonesia Sutrisno Hadi Purnomo, Bayu Setya Hartanto, and Nila Falansari. 639-644</p> <p>24642-49446-1-SM Financial Feasibility Study of Establishment of Poultry Feed Mill in Bintuni District West Papua Province Widayati T.W, S. Hartini, D.J. Raharjo, A.P.E. Widodo, A.R. Ollong, J. Woran, and L. Sonbait. 645-649</p> <p>BREEDING AND GENETIC</p> <p>24667-49207-1-SM The Quality of Chilled Fat Tail Sheep Ram's Semen with Antioxidant Addition, Vitamin C and Vitamin E In Citrate Egg Yolk Extender L. Abdillah, S. Bintara, D. Maharani, I.G.S. Budisatria. 650-654</p>
---	---



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

24930- 50097- 3-SM	Sensitivity and Specificity of ELISA Using Excretory/Secretory of <i>Fasciola Gigantica</i> for Detection Fasciolosis in Cattle Ima Malawati, Made Sriasih and Djoko Kisworo	655-659
28130- 62398- 1-SM	The Performance of Characteristics Morphological from Murung Panggang Chicken Tatan Kostaman and Soni Sopiyana	660-664
24738- 49435- 1-SM	Association of GH MspI and GHRH HaeIII Genes with Milk Components of HF Dairy Cows under an Intensive Management in West Java Anggraeni, A, D. Widyaningrum, A.O. Rini and S.A. Asmarasari	665-669
24879- 49225- 1-SM	Phenotypic Characterization of Angus Grade - Black Cattle from Sragen District Adinata Y., Aryogi, N. H. Krishna, and L. Affandhy	670-674
24958- 50167- 1-SM	Phenotypic Characteristics of Doro Ncanga Swamp Buffalo Reared Extensively on the Native Savannah of Tambora Dompu Regency Husni, C. Arman, and Maskur	675-680
23809- 46662- 1-SM	Phylogenetic Tree Analysis for Ongole Grade (Kebumen cattle) Based on Partial SRY Gene Tety Hartatik, Dwi Nur Happy Hariyono, Galuh Adi Insani, Sumadi, Dyah Maharani, and Jafendi Hasoloan Purba Sidadolog	681-685
24634- 62402- 1-SP	Intercorrelation of Cow Length Pregnancy, Birth Weight and Sex Ratio of Calves in Madura Cattle Jauhari Efendy and Peni Wahyu Prihandini	686-690
24624- 62401- 1-SP	Identification Single Nucleotide Polymorphism of Melanocortin 4 Receptor Gene in Madura Cattle Prihandini P.W., Sumadi, I Gede Suparta BS and Dyah Maharani	691-695
27439- 59326- 1-SM	Proportion and Quality of X-Y Chromosome Bearing Sperm on Diluted Semen After Incubation in Different Time of Etawah Crossbreed Goat Nurcholidah Solihati, Siti Darodjah Rasad and Annisa Yusrina	696-701
24827- 49715- 1-SM	Genetic Variation of Muscovy Ducks MC1R Gene in a Different Feather Colors Population Ismoyowati, Purwantini D, Tugiyanti E, and Awalludin AN	702-707
24879- 49889- 1-SM	Effect of Parity and Lactation Stage on Physico-Chemical Properties of Anglo Nubian X Etawah Grade Goat Milk Lisa Praharani, Rantan Krisnan and Angga Ardhati Rani Hapsari	708-713



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

25206- 51108- 1-SM	Behavior of Bali Cows at Different Reproduction Phase that Kept In Oil Palm Environment Endang Baliarti, Panjono, I Gede Suparta Budisatria, Sigit Bintara, Hamdani Maulana, Rio Gustantio, Bayu Andri Atmoko, and Tejo Sasongko.....	714-718	
25238- 51180- 1-SM	The Correlation Between Scrotal Circumference, Scrotal Volume, and Semen Quantity on Fat Tailed Sheep Sigit Bintara, Dyah Maharani, I Gede Suparta Budisatria, and Arina Nur Mujadidyyati.....	719-723	
28333- 62405- 1-SM	Heterosis Value Estimation of Hatching Weight and Growth Characteristics of Reciprocal Crossing Tegal and Magelang ducks Dattadewi Purwantini, Setya Agus Santosa and Ismoyowati.....	724-728	
24681- 49130- 1-SM	Phenotypic and Genotypic F2 th and F3 th Performances Candidate of the New Breed Ongole Crossed AGRINAK Cattle Aryogi, Y. Adinata and D. Pamungkas.....	729-732	
24846- 50333- 1-SM	Effectiveness of Guava Leaf Juice as Antibacterial and Antifungi in Poultry Incubator Disinfection Marlina, E. T., Y. A. Hidayati, Tb. A. Kurnani, E. Harlia, and K. N. Rahmah	733-737	
24635- 49131- 1-SM	Pregnancy rate of Bali Cows following Artificial Insemination using Chilled Sexed Sperm under Intensive Management in Tropical Area Takdir Saili, La Ode Baa, Astriana Napirah, Syamsuddin, I Wayam Sura and Febiang Lopulalan.....	738-742	
24641- 49144- 1-SM	Blood Biochemical Profile of Repeated Breeding Friesian Holstein Grade Cows in the Dairy Processing Unit Faculty of Animal Science Gadjah Mada University Diah Tri Widayati, Novi Maulida, and Adiarto.....	743-747	
24645- 49169- 1-SM	Study on Vaginal Epithelial Cells in Ongole Grade Cattle Suspected Reach Puberty A.H.K. Amrullah, D.T. Widayati, and D. Maharani.....	748-752	
24649- 49177- 1-SM	Selection For Bali Bull Based on Growth Traits Using Animal Model Andoyo Supriyantono, and Frans A. Torey	753-759	
23050- 44611- 1-SM	The Estimation of Natural Increase, Population Dinamics and Output of Beef Cattle in Klaten Central of Java Sumadi, A. Fathoni, S. B. Kusuma, D. N. H. Hariyono.....	760-764	



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat suatu masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

23053- 44614- 1-SM	Estimate the Milk Production of Friesian Holstein (FH) Based on Incomplete Record in <i>Balai Besar Pembibitan Ternak Unggul-Hijauan Pakan Ternak</i> (BBPTU-HPT) Baturraden, Banyumas, Central Java Sumadi, Asriana Dwi Martanti, Adiarto, Tety Hartatik, Budi Prasetyo Widyobroto, and Ahmad Fathoni.....	765-768
23547- 46099- 2-SM	Genetic Diversity of Bali Cattle from Several Locations in Indonesia Based on Mitochondrial DNA-Cytochrome b Gene Endang Tri Margawati, Slamet Diah Volkandari, Indriawati, and Muhamad Ridwan.....	769-774
24526- 49116- 1-SM	Phenotypic Characterization of Indonesian Local Ducks Based on Body Measurements Dyah Maharani, Dwi Nur Happy Hariyono, Daniel Dwiky Ignasia Putra, Jafendi Hasoloan Purba Sidadolog, and Jun Heon Lee.....	775-777
27293- 58293- 1-SM	Restriction Enzyme Mapping of MC4R Gene in Bligon Goat Using Bioedit Program Latifah, Dwi Ahmad Priyadi, Dyah Maharani, Kustantinah, and Tety Hartatik.....	778-781
27144- 59354- 1-SM	Evaluation the Natural Proportion of X-Y Chromosome Bearing Sperm of West Java Local Ram Using Morfometric Methode Nurcholidah Solihati, Siti Darodjah Rasad and Annisa Yusrina.....	782-787
24677- 49222- 1-SM	Phenotypic Study Results of Crosses between Local Chickens with Layer Chicken Isa Brown Franky M S Telupere, Heru Sutejo, and Erna Hartati.....	788-794
24656- 49204- 1-SM	Micropropagation of Banana Plant (<i>Musa paradisiaca</i>) cv. Raja Bulu through Tissue Culture for Diversification of Food and Feed Nilo Suseno.....	795-798
24599- 49032- 1-SM	Cortisol Hormones Profiles of Repeat Breeding Local Cattle Joana da Costa Freitas, Diah Tri Widayati, and Lies Mira Yusiati.....	799-803
24610- 49060- 1-SM	Effect of Extender Medium and Cooling Rate on the Quality of Frozen Semen Post-Thawing at Bali Bull (<i>Bos sondaicus</i>) Anna Farhana, Zaituni udin, and Jaswandi.....	804-809



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
 - b. Pengutipan tidak menggantikan kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

24678-	Chromosome Duplication of <i>Brachiaria decumbens</i> Grass Using Colchicine	
49224-	Nilo Suseno, Adib Nurma Respati, M. Danang Yulianto, and Nafiatul	
1-SM	Umami.....	815-817
RUMINANT PRODUCTION		
24586-	Pre-Weaning Growth of Etawah Grade Kids Based on Doe's Hair Color	
48989-	Differences	
1-SM	I Gede Suparta Budisatria, Alek Ibrahim, and Dyah Maharani.....	818-823
24754-	Evaluation of Protein Protected in the Cow Beef Cattle Rations Base-on the	
49506-	Fermentation and Microbia Activities Ruments by In Vitro	
1-SM	Riyanto, J, E. Baliarti, T. Hartatik, D.T. Widayati and L. M. Yusiat.....	824-829
23278-	Nutrient Adequacy of Bali Cattle Fed Only Forage Derived From Palm Oil	
45288-	Plantation in Riau Indonesia	
1-SM	Eny Endrawati, Panjono, Bambang Suhartanto, and Endang Baliarti....	830-834
24489-	Characteristics of Ongole Grade Cows in Kebumen Regency, Central Java	
49001-	Province	
1-SM	N. Ngadiyono, Panjono, S.P.S. Budhi, and A.E. Susanti.....	835-839
24670-	Blood Biochemical Profile of Bali Cattle with Repeated Breeding Condition	
49210-		
1-SM	Anggella Tesalonika Tombuku, Diah Tri Widayati, and Dyah Maharani	840-843
23580-	Physiological Response and Blood Profile of Sheep Given Forage and	
46176-	Cassava Leaf Silage (<i>Manihot esculenta</i> sp.) in Petir Village, Bogor	
2-SM	Asep Sudarman, Maki Hayashida, Eka Jatmika, and Sri Suharti.....	844-849
25245-	The Effect of Starting Time of Hand Milking on Lactation Period and Milk	
51200-	Production of Etawah Crossbred Goat in Smallholder	
1-SM	Yuni Suranindyah, F.Trisakti Haryadi, Diah Tri Widayati, Dyah	
	Maharani, Nurliyani, Indratiningssih, and Budi Prasetyo WB	850-854
24732-	Effects of Level of <i>Chromolaena odorata</i> in Complete Feed on Intake and	
49418-	Rumen Fermentation of Cattle: pellet diet	
1-SM	Marthen L. Mullik, Gustaf Oematan, Twen Dami Datto, Bambang	
	Permana, and Yelly M. Mulik.....	855-858
24689-	Performances of Pregnant-Crossbred Ettawa Goats Given Pellet Concentrate	
49241-	Containing "Sesbania grandiflora"	
SM	A. Rai Somaning Asih, I.N. Sadia, Kertanegara and O. Yanuarianto.....	859-862



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat masalah.
 - b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

28136-	Impact of Dairy Cow's Comfort Using Zero-Flies Fence on Feed Intake And Nutrient Utilization Despal, Henryc Firmansyah, and Idat Galih Permana	863-866
62410-		
1-SM		
24758-	Performance of the Simmental Ongole Crosbred Cow Estrus in to Use PGF 2α and GnRH Hormone Injection Riyanto, J, Sunarto, Lutojo, A. Mangivera, and Y.I. Indra	867-871
49520-		
1-SM		
24931-	Comparison of Calving Rates with Two Oestrus Synchronization Protocols in Doro Ncanga Buffalo Cows Raised Extensively in Tambora Savannah Arman, C and Maskur	872-874
50690-		
1-SM		
23360-	Performance of Local Thin Tailed Sheep Fed Sweet Potato (<i>Ipomoea batatas</i> L) Biomass as A Substitute for Concentrate Feed Asep Sudarman, Maki Hayashida, Dhony Pratama, and Sri Suharti	875-879
45855-		
1-SM		
24578-	The Correlation of Body Measurements and Weights of Ongole Crossbred (PO) Cattle in Kebumen Regency Satria Budi Kusuma, Nono Ngadiyono, and Sumadi	880-884
49642-		
1-SM		
24580-	Nitrogen Balance of Bligon and Kejobong Goat Fed King Grass and Peanut Crop Straw Lies Mira Yusiaty, Chusnul Hanim, I Gede Suparta Budisatria, and Rahadyan Adi Nugraha	885-888
49689-		
1-SM		
252-	Exterior Characteristics of Jabres Cattle at Brebes Regency, Central Java Province, Indonesia Panjono, M.S. Haq, C. Hanim, S. Andarwati, D. Maharani, D.T. Widayati and I.G.S. Budisatria	889-894
51112-		
1-SM		
23564-	The Effect of Different Land and Chicken Manure Molasses Block (KAMBLOK) As Feed Supplement on the Heat Tolerance Coefficient and Body Weight Gain of Fat Tail Sheep Achadiah Rachmawati, Hary Nugroho, and Iqbalul Choiri	895-898
46127-		
1-SM		
24673-	Supplementation Effect of Plus Complete Feed Contains ZnSO ₄ and Zn-Cu Isoleusinateon Effisiency Reproduction Post Partum of Bali CowsRaised in Semi Intensive Erna Hartati, F.M.S. Telupere, A. Saleh, and G. Oematan	899-904
49217-		
1-SM		
24963-	The Effect of Ruminally Undegradable Protein Using Formaldehyde on the Nitrogen Balance and Productivity of Kacang Goat R. Adiwinarti, Kustantinah, I.G.S. Budisatria, Rusman, and E. Indarto. ..	905-909
50187-		
1-SM		



Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
 - b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

23327- 45706- 1-SM	Effect of Different Levels of Non-Fiber Carbohydrates on Production Performance in Lactating Nili Ravi Buffaloes A. Khalique, M. A. Rashid, N. H. Hammad, and M. Q. Shahid.....	910-915
24935- 50104- 1-SM C	Mineral Concentrations of Magnesium and Calcium in Relation to Diestrus and Proestrus in Ongole Crossbred Cows Sarmin, Amelia Hana, Pudji Astuti, Yuda Heru Fibrianto, Claude Mona Airin, and M.Tauhid Nursalim	916-920
FOOD SAFETY AND HALAL FOOD INDUSTRY		
24715- 49303- 1-SM	Optimization of Protein Isolation Technique on Pig Hair Yatri Drastini, Sumantri, Nur Indah Kumalaratri, Agata Bella Lakshmita, and Tridjoko Wisnu Murti.....	921-926
23265- 45865- 1-SM	Implementation of HACCP and Halal Assurance System in Chicken Slaughterhouses in West Kalimantan Adisty L. Virgianda, A. T. Soelih Estoepangesti, and Mas'ud Hariadi.....	927-933
23600- 46225- 1-SM	Comparation of Ricotta Cheese Containing Single Lactic Acid Bacteria to Those of Mixed Probiotic Bacteria. Short Communication T. W. Murti, N. Firdaus, E. Robiyati, S. Marta, A. Latif, and B. T. Santoso.....	934-938
23372- 45889- 1-SM	Fourier Transform Infra Red (FTIR) Spectra, Amino Acid Profile and Microstructure of Gelatin from Madura and Crossbred Ongole Cattle Hides Amertaningtyas, D, Erwanto, Y, Bachruddin, Z., and Jamhari.....	939-943
24722- 49328- 1-SM	Hair Pig Content Identification from Paint Brush using Porcine Detection Kit Khamidinal, Desy Purnama Sari, and Hilda Nur Fadilla.....	944-947



1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Hak Cipta Dilindungi Undang-Undang

© Hak cipta milik Institut Pertanian Bogor

Bogor Agricultural University

Physiological Response and Blood Profile of Sheep Given Forage and Cassava Leaf Silage (*Manihot esculenta* sp.) in Petir Village, Bogor

Asep Sudarman¹, Maki Hayashida², Eka Jatmika¹, Sri Suharti¹

¹Department of Nutrition and Feed Technology, Faculty of Animal Science,
Bogor Agricultural University, Bogor 16680, Indonesia

²Department of Bioproduction Technology, Junior College
Corresponding email: a_sudarman@yahoo.com

ABSTRACT

The study aimed to evaluate the effect of forage chopping and supplementation of cassava leaves silage or concentrate on physiological response and blood profile of sheep. Sixteen male sheep of 12 months old with average body weight of 21.55 ± 2.02 kg were placed in individual cage. Feed was offered at the level of 3.5% of body weight on dry matter basis and given three times at 0730, 1230 and 1730. Drinking water were provided ad libitum. Completely randomized block design applying four treatments and four groups were used in this experiment. The treatments were T0 (100% forage), T1 (100% chopped forage), T2 (80% chopped forage + 20% concentrate), and T3 (80% chopped forage + 20% silage cassava leaves). The variables observed were physiological responses (respiration rate, heart rate and rectal temperature) and blood profile (haemoglobin, haematocrite, erythrocytes, and leucocyte). Physiological responses were measured once a week in the morning, at noon and afternoon. Data obtained were analyzed using analysis of variance (ANOVA) and any significant differences were further tested using Duncan's multiple range test. The results showed that treatment had no effects on rectal temperature of sheep. Supplementation of cassava leaves silage or concentrate increased ($P<0.05$) morning and noon respiration rate. Supplementation of cassava leaves silage increased ($P<0.05$) heart rate at noon. Supplementation of cassava leaves silage or concentrate did not affect erythrocyte, haemoglobin and haematocrite of sheep. Chopping of forage increased the number of leukosit, but supplementation of cassava leaf silage and concentrate recovered the effect of chopping on leucocite. Chopping of forage tended to give better effects on physiological responses. While, supplementation increased heat load onto sheep, even though this can still be handled by sheep thus do not cause heat stress.

Keywords: Blood profile, Cassava leaves silage, Concentrate, Physiological response, Sheep

INTRODUCTION

Constraints often faced by sheep farmers is the low quality of forage and limited availability of forage in the dry season causing low productivity of sheep. Therefore, it is necessary to provide feed supplementation which one of them is cassava leaves (*Manihot esculenta* sp.). Central Bureau of Statistics (2014) reported that the cassava harvested area in Indonesia in 2013 reached 1,061,254 ha with cassava leaf production reaching 0.92 ton/ha/year of dry matter (Lebdosukoyo, 1983). The high production of cassava leaves has not been optimally utilized as animal feed. To maintain the availability of feed continuously and maintain the quality of nutrient content can be done through silage-making technology. Novianto (2013) reported that ensilaging process can decrease HCN (Hydrocyanic acid) content in cassava leaves by 78.67%, making it safer for animal feed. He also reported that the protein content of cassava leaves silage was 25.5%.



1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat suatu masalah.
 b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Farmers in Petir Village, Bogor, usually give forage to sheep without being cut first. Whereas, cutting can increase the amount of forage consumed by animal and can reduce heat stress by decreasing heat increment due to reduced ruminations (Utomo and Soejono, 1987). Feeding by supplementation of cassava leaf silage or concentrate and by cutting first is expected to improve the physiological response of livestock kept in hot areas. Thus, it does not cause disruption to health and livestock production.

The purpose of this study was to analyze the effect of forage cutting and supplementation with cassava leaf silage or concentrate on physiological responses (rectal temperature, respiration rate, and heart rate) and blood profile (hematocrit, hemoglobin, erythrocyte count, leukocyte count) of sheep reared by the farmer in Petir village, Bogor.

MATERIALS AND METHODS

The experiment was conducted at a smallholder farm located at Petir village, Bogor, Indonesia. Sixteen male local sheep with an initial body weight of 21.55 ± 2.02 kg were allocated into completely randomized block design incorporating four treatments and four replicates. They were placed in individual cage provided with buckets for feed and drinking water. Sheep were reared for 12 weeks with a 2-week adaptation period. Body weight sheep weighed once a week. Wet and dry bulb thermometers were installed in animal cage to measure air temperature and humidity.

The four treatment diets were formulated based on concentrate, cassava leaf silage and forage (with the ratio of corn leaves : local grass : sweet potato leaves = 4.20 : 19.05 : 76.76) as follow: T0: 100% forage, T1: 100% chopped forage, T2: 100% chopped forage + 20% concentrate, T3: 100% chopped forage + 20% cassava leaf silage. Feeding level was 3.5% of their body weight on dry matter basis and given at 07.30, 12.30 and 17.30. Drinking water was provided *ad libitum*. The nutrient content of experimental diets was shown in Table 1.

Cassava leaf silage was prepared as follow fresh cassava leaves (including top stalks and top trunks) were manually chopped (approximately 2-3 cm) and wilted for 6 h at ambient temperature. Molasses (5%) was added to the wilted cassava leaves and thoroughly mixed before storage at ambient temperature in 30 kg sealed airtight plastic bags for at least 3 weeks before being fed to the sheep. The cassava silage was fed to sheep for less than 6 days after opening of a bag. The average pH of cassava leaf silage in this study was 4.

Variables measured were physiological responses include rectal temperature, respiration rate, and heart rate; blood profiles including hematocrit, hemoglobin, red blood cells, and white blood cells. Data were analyzed using analysis of variance (ANOVA) and any significance different results were further tested using Duncan's multiple range test (Steel and Torrie, 1980).

Table 1. Nutrient content (% DM) of experimental diets

Nutrient Content	Treatments			
	T0	T1	T2	T3
Crude protein (%)	18.42	18.42	16.95	19.84
Ether extract (%)	7.59	7.59	6.85	7.43
Crude fibre (%)	15.66	15.66	15.89	16.67
Nitrogen-free extract (%)	45.50	45.50	47.99	44.20
Ash (%)	12.83	12.83	12.32	11.88
Total Digestible Nutrient (%)*	67.61	67.61	67.44	68.29

*) Calculation results based on Hartadi (1980)

RESULTS AND DISCUSSION

Micro climate in sheep shed

The average daily ambient temperature ranged from 22.40 - 30.40 °C with humidity reaching 84.4 - 91.9%. The highest temperatures occurred during the day, while the highest humidity occurred in the morning. The average temperature in the cage in the morning was quite cool according to the needs of the sheep, but during the day the temperature in the cage was above the normal temperature for sheep. Yousef (1985) reported that the acceptable temperature of sheep ranged from 4 - 24 °C with humidity below 75%. High temperature and humidity can affect physiological condition of sheep. Sudarman and Ito (2000) reported that sheep fed high forage placed at ambient temperature 30 °C had a higher heat load compared to sheep placed at an ambient temperature of 20 °C. While high humidity can inhibit heat dissipation in sheep.

Effect of Treatment on Sheep's Physiological Response

The sheep's physiological response during the study is presented in Table 2. The treatment had no significant effect on sheep rectal temperature, either in the morning, at noon, or afternoon. The rectal temperature of sheep in this study ranged from 38.71 - 39.10 °C. It shows that sheep rectal temperature is still in the normal range which according to Sonjaya (2012) normal sheep rectal temperature ranges 37.90 - 39.80 °C. Isnaeni (2006) states that the body temperature in most animals is more influenced by the temperature of the environment. However, Sudarman and Ito (2000) reported that sheep fed with different levels of protein showed significant differences in sheep vaginal temperature at 20 °C but did not significantly affect the temperature of 30 °C. At high environmental temperatures (daytime), the body heat dissipation was not proportional to the amount of heat obtained so that body temperature increases (Sunugawa et al., 2002). The highest rectal temperature of the lamb in the afternoon is the result of heat accumulation received by the body of livestock throughout the day.

Table 2. Micro climatic condition and physiological responses of sheep as affected by treatments

Variables	Treatment	Times of measurement		
		Morning (07.00)	Noon (12.00)	Afternoon (17.00)
Ambient Temp. (°C)		22.40 ± 0.42	29.90 ± 0.74	27.30 ± 2.28
Humidity, Rh (%)		91.90 ± 3.00	86.00 ± 2.12	88.20 ± 5.67
Rectal temperature (°C)	T0	38.57 ± 0.48	39.11 ± 0.32	39.31 ± 0.25
	T1	38.33 ± 0.32	38.77 ± 0.28	39.02 ± 0.84
	T2	38.76 ± 0.52	39.17 ± 0.38	39.37 ± 0.36
	T3	38.60 ± 0.35	39.12 ± 0.24	39.22 ± 0.27
Respiratory frequency (times/min.)	T0	30.38 ± 7.04 ^{ab}	59.85 ± 11.54 ^{ab}	62.80 ± 22.64
	T1	28.20 ± 4.05 ^a	56.55 ± 9.84 ^a	54.78 ± 20.68
	T2	36.15 ± 8.39 ^b	77.40 ± 24.99 ^{bc}	69.23 ± 28.32
	T3	34.88 ± 7.42 ^b	80.70 ± 23.17 ^c	70.10 ± 29.93
Heart rate (times/min.)	T0	75.78 ± 9.97	87.31 ± 11.58 ^a	98.78 ± 13.44
	T1	78.33 ± 12.65	90.78 ± 14.78 ^a	99.43 ± 16.68
	T2	85.69 ± 12.14	98.71 ± 14.43 ^{ab}	101.8 ± 16.25
	T3	86.39 ± 12.60	104.13 ± 11.07 ^b	102.38 ± 14.42

T0 = 100% forage; T1 = 100% chopped forage; T2 = 80% chopped forage + 20% concentrate; T3 = 80% chopped forage + 20% cassava leaves silage

Different superscript within the same column differ significantly (P<0.05)

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan sifat masalah.
 b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suctu masalah.
 - b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Treatment had significant effect ($P < 0.05$) on heart rate during the day. The sheep heart rate in this study ranged from 87.29 to 97.63 times/min which is still within the normal range. According to Frandson (1992) normal sheep heart rate in the tropics ranged from 60 to 120 times / minute. Sheep given feed supplementation relatively had a higher heart rate. Supplementation of cassava leaves silage has the highest average heart rate (104.13 ± 11.07 times / min). Improving the quality of feed seems to increase the metabolic rate, in line with it also increases the metabolic heat generated in the body of the livestock. In hot environments, such as during the day, this metabolic heat is unfavorable and must be released into the environment by way of being transported by the blood to the surface of the body, so that the heart rate increases. Besides being influenced by feed quality, the increase of pulse rates is also influenced by the increase of feed consumption (Wuryanto 2010).

The treatment had significant effect ($P < 0.05$) on the rate of respiration of sheep in the morning and afternoon. The highest respiration rate was shown by sheep with the treatment of cassava silage leaf supplementation (T3) of 61.89 ± 29.57 times/min and the lowest was shown by sheep with 100% forage chopped (T1) of 46.51 ± 18.62 times/min. The pattern of increasing respiration rate is in line with the increase in heart rate. Consumption of high nutrients will increase the body's metabolism so that more heat will be produced body (Wuryanto et al. 2010). As the metabolic rate increases, the need for O₂ and CO₂ formation also increases (Isnaeni, 2006). So the sheep will increase the respiration rate to meet the needs of O₂, releasing CO₂ and body heat that has been transported by blood. While the reduction in particle size can increase consumption and reduce heat increment due to reduced rumination (Utomo and Soejono, 1987), so the release of heat through the breathing is lower. Respiration rate of sheep in this study ranged from 46 to 61 times/minute. The average rate of respiration is much higher than the normal respiration rate of 26-32 times/min (Frandson 1992). The results show that sheep experience mild stress, which according to Silanikove (2000) is characterized by sheep doing respiration as much as 40-60 times/minute.

Effect of Treatment on Blood Profile of Sheep

The sheep blood profile of the study is presented in Table 3. The treatment did not show any significant effect on the amount of erythrocytes, hemoglobin and hematocrit of sheep. The amount of erythrocytes, hemoglobin and hematocrit of sheep in this study were 8.53 - 8.60 million/mm, 7.05 - 7.85 g/ dL, and 28.25-31.75%, respectively. The blood profile is slightly below the normal range, since normal conditions for sheep for erythrocytes range from 9 to 17 million / mm, hemoglobin ranges from 9 to 15 g / dL (Pugh, 2002) and hematocrit is 32% - 45% (Smith and Mangkoewidjojo, 1998). These low levels of erythrocytes and hematocrit are proportional to the low number of hemoglobin. The low level of hemoglobin in sheep is possibly due to the presence of saponin in forage in the form of sweet potato leaves that can bind to a divalent atom 2, ie Fe²⁺ forms a complex compound that causes the absorption of Fe to interfere with and interfere with the formation of hemoglobin (Francis, 2002).



Tabel 3. Blood profile of sheep as affected by treatments

Variables	Treatment			
	T0	T1	T2	T3
Eritrosit (juta/mm)	8.53 ± 0.82	8.60 ± 0.92	8.04 ± 1.47	8.47 ± 1.16
Hemoglobin (g/dL)	7.85 ± 1.23	7.08 ± 1.04	7.05 ± 1.34	7.80 ± 0.28
Hematokrit (%)	31.75 ± 1.89	28.25 ± 3.86	29.50 ± 3.11	30.50 ± 1.00
Leukosit (ribu/mm)	5.11 ± 0.36a	6.51 ± 0.42b	5.71 ± 1.03a	5.58 ± 0.53a

T0 = 100% forage; T1 = 100% chopped forage; T2 = 80% chopped forage + 20% concentrate; T3 = 80% chopped forage + 20% cassava leaves silage

Different superscript within the same column differ significantly ($P < 0.05$)

The treatment had a significant effect ($P < 0.05$) on the number of white blood cells (leukocytes) of sheep. The number of sheep leukocytes in this study ranged from 5.11 to 6.51 thousand/mm. This result shows that the number of sheep leukocytes in this study is still within the normal range, ie 4-12 thousand/mm (Pugh, 2002). These results indicate that the sheep in the study were healthy. The number of sheep leukocytes in T1 treatment was higher than that of other treatments (T0, T2, and T3). Factors that may cause the leukocyte count in T1s higher because of the saponin content in sweet potato leaves. Saponins can act as immunomodulators that are immunostimulators that can enhance function and activity of immune system (Francis, 2002).

CONCLUSIONS

Cutting forage into smaller sizes tends to lower the frequency of respiration and heart rate of sheep. Feed supplementation (cassava leaf silage or concentrate) increases body heat production released by increasing the frequency of respiration and heart rate to keep the sheep body temperature normal. Forage cutting and feed supplementation do not affect erythrocytes, hemoglobin, and hematocrit but increase the number of leukocytes.

REFERENCES

- Central Bureau of Statistics. 2014. Statistic Indonesia 2014. <http://www.bps.go.id/>. [20 March 2015].
- Francis, G., Z. Kerem, P. Harinder, S. Makar and K. Becker. 2002. The biological action of saponins in animal systems : a review. *British Journal of Nutrition*. 88, 587-605.
- Frandsen, R.D. 1992. *Anatomi dan Fisiologi Ternak*. Edisi ke-4. Srigandono, Praseno K, penerjemah. Yogyakarta (ID): Gadjah Mada University Pr.
- Hartadi, H.S., Reksohadiprodjo, A.D. Tillman. 1997. *Tabel Komposisi Pakan Untuk Indonesia*. Yogyakarta (ID). Gadjah Mada University Press.
- Isnaeni, W. 2006. *Fisiologi Hewan*. Jakarta (ID): Kanisius.
- Lebdosukoyo, S. 1983. Pemanfaatan limbah pertanian untuk menunjang kebutuhan pakan ruminansia. Prosiding Pertemuan Ilmiah Ruminansia Besar, Pusat Penelitian dan Pengembangan Peternakan. Bogor (ID):78-83.



1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
b. Pengutipan tidak mengikuti kepentingan yang wajar IPB.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin IPB.

Hak Cipta Dilindungi Undang-Undang

- Noveanto, I. 2013. Kecernaan nutrien, retensi nitrogen, dan sintesis protein mikroba pada domba yang mendapat substitusi konsentrat dengan silase daun singkong (*Manihot esculenta* sp.) [skripsi]. Bogor (ID): Institut Pertanian Bogor.
- Pugh, D.G. 2002. *Sheep and Goat Medicine*. Edisi ke-1. Alabama (US): Auburn University.
- Silanikove, N. 2000. Effects of heat stress on the welfare of extensively managed domestic ruminants. *J Livestock Production Sci*. 67(2000), 1–18.
- Smith, J.B. and Mankowidjojo. 1988. Pemeliharaan. Pembibitan dan Penggunaan Hewan Percobaan Di Daerah Tropis. Jakarta (ID): Universitas Indonesia Pr.
- Sonjaya, H. 2012. *Dasar Fisiologi Ternak*. Bogor (ID): Institut Pertanian Bogor Pr.
- Steel, R.G.D. and J. H. Torrie. 1980. Principles and procedures of Statistics: A Biometric Approach. McGraw-Hill Book Co., New York.
- Sudarman, A. and T. Ito. 2000. Heat production and thermoregulatory responses of sheep fed roughage proportion diets and intake levels when exposed to a high ambient temperature. *AJAS*. 13(5):625-629.
- Sunagawa, K., Y. Arikawa, M. Higashi, H. Matsuda, H. Takahashi, Z. Kuriwaki, Z. Kojiya, S. Uechi, F. Hongo. 2002. Direct effect of a hot environment on ruminal motility in sheep. *AJAS*. 15(6):859-865.
- Utomo, R. and M. Soejono. 1987. Pengaruh ukuran partikel pakan terhadap kecernaan. Tahun XI. No. 1. ISSN 0126-4400. Yogyakarta (ID): Buletin Peternakan Fakultas Peternakan UGM.
- Wuryanto, I.P.R., L.M.Y.D. Darmoatmojo, S. Dartosukarno, M. Arifin, A. Purnomoadi. 2010. Produktivitas, respon fisiologis dan perubahan komposisi tubuh pada sapi jawa yang diberi pakan dengan tingkat protein berbeda. *Seminar Nasional Teknologi Peternakan dan Veteriner 2010 Hal 331-338*. Semarang (ID): Universitas Diponegoro.
- Yousef, M.K. 1985. *Stress Physiology in livestock*. 1st Edition. Florida (US): CRC Pr.