# Fertilizer Recommendation : Correlation and Calibration Study of Soil P Test for Yard Long Bean (*Vigna unguilata* L) on Ultisols in Nanggung-Bogor

**Anas D. Susila[1], Juang G. Kartika[1], T. Prasetyo[1] Manuel C. Palada[2]**

*[1]Plant Production Division, Departemen of Agronomy and Horticulture, Faculty of Agriculture, Bogor Agricultural University, Jl. Meranti, Komplek IPB Darmaga Bogor. 16680, Tel/Fax: 0251 8629353. Email: anasdsusila@yahoo.com*

*[2]Crop and Ecosystems Management Unit, AVRDC-World Vegetable Center, P.O. BOX, Shanhua, Tainan 74199, Taiwan*

**Keywords : fertilizer recommendation, calibration, phosphor, yard long bean, Ultisols**

## ABSTRACT

**Yard long beans (*Vigna unguilata* L.) variety 777 was grown in Ultisols, which typical have low pH and high P-fixation to determine the best correlation of soil extraction methods for soil P with yields and to develop soil P response categories. The research was conducted at SANREM base camp in Hambaro Village, Nanggung, Bogor, Indonesia from April-Augusts 2008. Treatments were arranged in Split Plot Design with three replications. The main plot was soil P status of 0X, ¼X, ½X, ¾X and X, which is X=1590.5 kg SP-36 (36% $P_2O_5$) $ha^{-1}$ applied one month before planting. The sub plots were P application rate of 0, 75, 150, 225 and 300 kg $P_2O_5$ $ha^{-1}$. Yard long beans planted in double rows per bed, 60 cm between rows and 25 cm within rows, 2 seed per hole with plot size of 1.5 x 5 m. Coefficient correlation (r) of extraction reagent Olsen, Bray-1, HCl 25%, and Mechlich-1 were 0.772, 0.765, 0.755, and 0.732, respectively. Base on Olsen soil testing methods, soil response category very low, low, medium, and high were (ppm $P_2O_5$) ≤18.40, >18.40-<117.27, >18.40 <117.27, and ≥267,04 extracted-P, respectively. Whereas base on Bray-1 soil testing methods, soil response category low, medium, and high were (ppm $P_2O_5$) ≤87.81, >87.81-<233.78, and ≥233.78 extracted-P, respectively. Fertilizer recommendation base Olsen soil test for low response category was 185.75 kg $ha^{-1}$ $P_2O_5$, and for medium soil category was 175.97 kg $ha^{-1}$ $P_2O_5$., whereas by Bray-1 soil test for low response category was 184.31 kg $ha^{-1}$ $P_2O_5$, and for medium soil category was 161.39 kg $ha^{-1}$ $P_2O_5$.**