

Proceedings of the International Seminar on Exploring
Research Potentials, Palembang, 20-22 October 2011

The Council of Rector of Indonesian State University (CRISU) and the
Council of University President of Thailand (CUPT)

Editors:

A. Muslim (Indonesia)
Siti Herlinda (Indonesia)
Nurly Gofar (Malasyia)
Melanie Boursnell (Australia)
K. T. Tantrakarnapa (Thailand)
Judhiastuty Februhartanty (Indonesia)
Misnaniarti (Indonesia)
Najmah (Indonesia)
Suci Destriatania (Indonesia)

Published by Sriwijaya University on Cooperation
The Council of Rector of Indonesian State University (CRISU)
The Council of University President of Thailand (CUPT)

Copyright @ 2011 by Sriwijaya University

All rights reserved. Publish in Indralaya, Indonesia

Reproduction or translation of any part of this Proceedings beyond that permitted by Sriwijaya University Copyright, without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to Sriwijaya University

Sriwijaya University:

Jl. Palembang-Prabumulih Km. 32, Ogan Ilir, Indralaya, Indonesia
Telephone +62711580069, 580169, 580645, facsimile: +62711580664

Proceedings of the International Seminar on Exploring Research Potentials,
Palembang, 20-22 October 2011.

The Council of Rector of Indonesian State University (CRISU) and the
Council of University President of Thailand (CUPT)

ISBN 978-979-98938-5-7

FOREWORD

Dear special guests:

Minister for National Education, Ambassadors of Thailand for Indonesia, Ambassadors of Indonesia for Thailand, all delegates from The Council of Rector of Indonesian State University (CRISU) and The Council of University President of Thailand (CUPT), Government of South Sumatra and Palembang City, and all The 6th CRISU-CUPT Conference, International Seminar and Exhibition participants

On behalf of the Sriwijaya University as Host University, I would like to extend my warmest welcome to all of the participant of The 6th CRISU-CUPT Conference, International Seminar and Exhibition, held on 20th-22nd October 2011 at Sriwijaya University Palembang with the join theme "Exploring Research Potentials".

There will be many challenges and opportunities in higher education in the Asean Community in the next decade. This is, therefore, considerable significant will arise from the The 6th CRISU-CUPT Conference, International Seminar and Exhibition. The previous five CRISU-CUPT conferences have been significantly deepening the relationships and come up with very fruitfull discussion in various subjects of collaboration and cooperation, for example, global warming, global mobility, academic interaction and cross-fertilization. The 5th conference was held in Chiang Mai, Thailand on July 7th-9th 2010 and appointed Sriwijaya University as a host for the 6th conference.

The 6th CRISU-CUPT conference will include many agenda, with not only include the meeting of the President Forum, the Dean Forum, and the Student Forum, but also will include international Seminar and Exhibition. This conference, therefore, might come up with more fruitfull conclusion and deepest commitment among participants.

With regard to considerable conference agenda, we greatly appreciate any support and sponshorship derived from any govermental as well as private institutions for the success of the conference. Great appreciation is also handed to organizing committe of the conference for any voluntarily effort that bring to the succes of the conference.

The 6th CRISU-CUPT Conference, International Seminar and Exhibition is being attended by about 600 participants. I hope you enjoy the beauty of Palembang City as one of the oldest city in Indonesia which is 1318 years old, established during the glory of the vast Sriwijaya Kingdom. The city also have variety of interesting culture and places.

Palembang, October 2011
Chairperson,



Prof. Dr. Badia Perizade, M.B.A
Rector of Sriwijaya University

TABLE OF CONTENTS

Foreword	iii
Table of Contents	iv
Papers of Keynote Speakers:	
1. Mental Illness In Australia (Dr. Melanie Bournnell , University of Newcastle Australia)	xvi
2. Chemical Toxicology towards humans health and EHIA (Environmental Health Impact Assessment) in Thailand (Prof. Kraichat Tantrakarnapa , Faculty of Public Health, Mahidol University, Thailand)	xxvi
3. Nutrition transition in Indonesia (DR. Ir. Judhiastuty Februhartanty , M.Sc, SEAMEO RECFON Indonesia, Indonesia University)	xxxvii
4. Cancer : Genetic And Environmental Causes And Risk Factors (Prof Dato' Dr. M.S. Lye , University Putra Malaysia)	vi
5. Accelerating Diversification In Food Consumption Based on Indigenous Resources as An Alternative Action To Support Food Security In Indonesia (Prof. Dr. Rindit Pambayun , M.P, Sriwijaya University, Indonesia)	vi
Papers of Presenters:	
A. Food Security	
1. Diversity, Domination, and Distribution Of Rice Stem Borer Species and it Interaction with Egg Parasitoids in Various Land Typology in Jambi (Wilyus¹, Siti Herlinda², Chandra Irsan², Yulia Pujiastuti² : <i>Agriculture Faculty of Jambi University, Faculty of Agriculture, Sriwijaya University</i>)	1
2. Land Suitability for <i>Elaeis Guineensis</i> Jacq Plantation in South Sumatra, Indonesia (M. Edi Armanto^{*1,2}, M.A. Adzemi², Elisa Wildayana¹, M.S. Imanudin¹, S.J. Priatna¹ and Gianto³ : <i>¹Faculty of Agriculture, Sriwijaya University, South Sumatra, Indonesia, ²Faculty of Agrotechnology and Food Science (FASM), UMT Terengganu, Malaysia, ³Forestry Delineation Agency, Department of Forestry, Indonesia</i>)	10
3. From Economic Valuation to Policy Making in Forest Conversion for <i>Elaeis Guineensis</i> Jacq Plantation (Elisa Wildayana^{*1}, M. Edi Armanto¹ and M.A. Adzemi² : <i>¹Faculty of Agriculture, Sriwijaya University, Indonesia, ²Faculty of Agrotechnology and Food Science (FASM), UMT Terengganu, Malaysia</i>)	19
4. Floating Agriculture Model from Bamboo for Rice Cultivation on Swamp Land At South Sumatra (Siti Masreah Bernas, Siti Nurul A.F. and Agung Maulana : <i>Soil Science Program Study and Low Land Management Field, Agricultural Faculty, Sriwijaya University</i>)	27
5. The Responsiveness of Jambi Rice Acreage to Price and Production Costs (Edison : <i>Faculty of Agriculture, Jambi University, Indonesia</i>)	34
<i>Proceedings of the International Seminar, Palembang 20-22 October 2011</i>	vi

6. Wage Rigidity Analysis as an Indicator of Agricultural and Non Agricultural Labor Market Distortions In Indonesia: Error Correction Model (ECM) Approach (Dessy Adriani², Andy Mulyana³, Amruzi Minha³, Nurlina Tarmizi³: Faculty of Agriculture, Sriwijaya University, Indonesia) 40
7. Predator *Aphis gossypii* on Vegetable at Low Land areas in South Sumatera (Khodijah, Haperidah Nunilahwati, Dewi Medalima : Faculty of Agriculture, Sriwijaya University, Indonesia) 49
8. Population and Attack of *Liriomyza Sativae* (Diptera : Agromyzidae) and Its Interaction with Parasitoid on Tomato Cropping in Lowland of South Sumatra (Siti Herlinda, M. Yunus Umar, Yulia Pujiastuti, and Rosdah Thalib, Chandra Irsan : Plant Pest and Disease Department, Faculty of Agriculture, Sriwijaya University) 56
9. Integration of Palm Fruit Plantation And Cattle; Potential System to Improve Cattle Production (Armina Fariani, Arfan Abrar and Gatot Muslim : Animal Science Department, Faculty of Agriculture, Sriwijaya University) 66
10. Application of *Penicillium* spp. Produced in Waste Materials to Control Neck Root Rot Diseases Caused by *Sclerotium rolfsii* Sacc. on Chili (A. Muslim; Sari Eka Permata; Harman Hamidson : Program Study Agroecotechnology, Faculty of Agriculture, Sriwijaya University) 70
11. Purification and Characterization Collagenase from *Bacillus licheniformis* F11.4 (Ace Baehaki¹, Maggy T.Suhartono², Sukarno², Dahrul Syah², Azis B.Sitanggang², Siswa Setyahadi³ and Friedhelm Meinhardt⁴ : ¹Departement of Fisheries Product Technology, Faculty of Agriculture Sriwijaya University, ²Faculty of Agricultural Technology Bogor Agricultural University, ³Agency for the Assessment and Application of Technology, Republic of Indonesia, ⁴Institute for Molecular Microbiology and Biotechnology, University of Munster Germany) 75
12. Biological Reproduction *Menochilus Sexmaculatus* (F.) Predator Chili (*Aphis Gossypii* Glover) From Central Vegetable At Low Land Areas In South Sumatera (Haperidah Nunilahwati, Dewi Meidalima, dan Khodijah : Agriculture Faculty of Sriwijaya University, Indonesia) 84
13. Competitiveness and Minimum Regional Price of Arenga Palm Sugar ; Case Study of Small Palm Sugar Industries in Rejang Lebong Regency, Bengkulu Province (Ketut Sukiyono, Bambang Sumantri, Nusril And Evanila Silvia : Department of agricultural socio – economics, Faculty of Agriculture, Bengkulu University) 91
14. Plant Clinic: Driving Farmers Profit Partners (Chandra Irsan, Suwandi, A. Muslim, Siti Herlinda : Department of Plant Pests and Diseases, Faculty of Agriculture, Sriwijaya University) 98
15. The Role of Biotechnology In Overcoming the World Food Crisis (Suranto : Department of Biology, Faculty of Natural Sciences and Mathematic-UNS-Solo) 104
16. The Impact of Innovation Acceleration of Paddy Commodities at Irrigation Agroecosystem In Musi Rawas Regency (Yanter Hutapea and Tumarlan Thamrin : South Sumatra Assessment Institute for Agricultural Technology, Indonesia) 110

17. Performance of Several High Lines of Tolerant Rice to Iron Toxicity in Tidal Swamp Area in South Sumatra 116
(**Tumarlan Thamrin, Rudy Soehendi, Waluyo dan Syahri** : *South Sumatra Assessment Institute for Agricultural Technology, Indonesia*)
18. Performance of Submergence Tolerant Rice in South Sumatra to Anticipate the Impact of Climate Change 122
(**Tumarlan Thamrin, Imelda SM, Waluyo dan Syahri** : *South Sumatra Assessment Institute for Agricultural Technology, Indonesia*)
19. The Dynamics of Iron (Fe) Solubility As a Result of Sulphate Acid Soil Reclamation and the Way to Control 128
(**NP. Sri Ratmini¹, dan Arifin Fahmi** : *South Sumatera Assessment Institute for Agricultural Technology, Indonesia*)
20. Increasing Income Through Implementation of Integrated Farming System in Tidal Swamp Area 137
(**NP. Sri Ratmini dan Herwenita** : *South Sumatera Assessment Institute for Agricultural Technology, Indonesia*)
21. Study of Erosion on Different Types of Land Use in the Region Upstream Watershed Area (Das) Komerling South Sumatra 144
(**Satria Jaya Priatna¹, M.Edi Armanto¹, Dinar DA. Putranto², Edward Saleh¹, Robiyanto HS¹, Niken Suhesti¹ and S.N Aidil Fitri¹** : *¹Faculty of Agriculture, Sriwijaya University, South Sumatra, ²Faculty of Engineering, Sriwijaya University, South Sumatra, Indonesia*)

B. Environmental and Climate Change

22. Study of Palm Empty Fruit Bunches Processing Technology As Saccharide Source For Friendly Environment Surfactant (**Joni Karman** : *Assessment Institute for Agricultural Technology in South Sumatera*) 151
23. Assessment of Pb Content of Motor Vehicle Emissions of Origin On Soil And Plant In Island Village Semambu Km 22 Highways Indralaya – Palembang 161
(**A. Napoleon, Dwi Probowati S, Marji Putranto** : *Faculty of Agriculture Sriwijaya University*)
24. Using The Forest Zone Through The Low Carbon Development for The Welfare of the Orround Forest Society (Using the Forest Zone through the Low Carbon Development for the Welfare of the Orround Forest Society) 168
(**Najib Asmani** : *Agriculture Faculty and Graduate Post Program Sriwijaya University, Palembang, Indonesia*)
25. Run off, Erosion, and Yield of the Sweet Corn (*Zea mays* var. *saccharata*) as result of Sheep Manure Application and Terracing 174
(**Ruarita Ramadhalina Kawaty** : *Faculty Agriculture Tridinanti University, Indonesia*)
26. Stilbenes from The Heartwood of *Morus Nigra* and their Cytotoxicity 179
(**Ferlinahayati¹, Euis H. Hakim², Yana M. Syah², Lia D. Juliawaty², Jalifah Latip** ; *¹Department of Chemistry, Faculty of Mathematics and Natural Sciences, Sriwijaya University, ²Natural Product Research Group, Department of Chemistry, Institut Teknologi Bandung, ³School of Chemical Science & Food Technology,*

- Faculty of Science and Technology, Malaysia)*
27. Responses of Several Tropical Plant Species to Polluted Air Condition in the City 184
(**E.S. Halimi and Dian Agustina** : *Department of Agroecotechnology Faculty of Agriculture Sriwijaya University*)
 28. Freshwater Fish Diversity in Pulokerto Musi River, Palembang-South Sumatra: A Preliminary Results 189
(**Hilda Zulkifli, Doni Setiawan and Indra Yustian** : *Department of Biology, Faculty of Science, Sriwijaya University*)
 29. Vegetational Structure and Composition in Pulokerto Island, Musi River-Palembang, South Sumatra 195
(**Indra Yustian dan Hilda Zulkifli** : *Department of Biology, Faculty of Science, Sriwijaya University*)
 30. Climate Change, Environment and Plant Diseases Development 200
(**Nurhayati** : *Department of Plant Pest and Disease, Agriculture Faculty, Sriwijaya University*)
 31. Biophysical Characteristics of Tailings Deposition Area and Its Contribution to Vegetation Growth 206
(**Yuanita Windusari¹, Robiyanto Hendro Susanto², Zulkifli Dahlan², Wisnu Susetyo³, And Indra Yustian²** : *Doctoral student of Environmental Science and Lecture of Mathematic and Sciences Faculty of Sriwijaya University, ² Lecture of Environmental Sciences Programme, Sriwijaya University and Supervisor commission, ³ Senior Advisor PT Freeport Indonesia and Supervisor commission*)
 32. Biodegradation of Petroleum Hydrocarbon by Single and Consortium of Hydrocarbonoclastic Bacteria From Petroleum Polluted Mangrove Areas 212
(**Hary Widjanti¹, Iswandi Anas², Nuni Gofar³, Moh.Rasyid Ridho** : *¹Agricultural Science of the Graduate Program of Sriwijaya University*)

C. Energy, Education and Others

33. Temperature and Relative Humidity Gains of "Teko Bersayap" Model Solar Dryer (a Research Note) 221
(**Yuwana, Bosman Sidebang and Evanila Silvia** : *Department of Agricultural Technology, Faculty of Agriculture, University of Bengkulu*)
34. Proposes of Implementation of Sustainable Subgrade on Highway Construction in South Sumatera By Using Coal Combustion Products (CCPs) as Stabilizer 228
(**Achmad Fauzi¹, Usama Juniansyah Fauzi², Wan Mohd Nazmi³** : *^{1,3} The Faculty of Civil Engineering and Earth Resources, University Malaysia Pahang, Malaysia. ² Faculty of Civil and Environmental Engineering, Institut Teknologi Bandung, Indonesia*)
35. Green Pavement by Using High Density Polyethylene Modified Asphalt as Aggregate Replacement by, Faculty of Civil Engineering and Earth Resources, University Malaysia Pahang 236
(**Wan Mohd Nazmi and Wan Abdul Rahman Wan Rohaya Wan Idris, and Achmad Fauzi Abdul Wahab** : *Faculty of Civil Engineering and Earth Resources, Universiti Malaysia Pahang, Lebuhraya Tun Razak, Gambang, Kuantan, Pahang, Malaysia*)

36. Social Benefit of Coal Mining Activity (Syaifudin Zakir¹ and Restu Juniah²) 242
¹Dept. Public Administration Faculty Social and Political Sciences, Sriwijaya University, ²Environmental Science Program University of Indonesia
37. Behavior of Connection Rotations Composite Steel Beam with Partial Strength Using Trapezoid Web Profiled 250
 (Anis Saggaff¹, Mahmood Md. Tahir², And Arizu Sulaiman³ : Civil Engineering Department, Faculty of Engineering, Sriwijaya University, ²Steel Technology Centre, Faculty of Civil Engineering, University Teknologi Malaysia, ³ Faculty Of Civil Engineering, Universiti Teknologi Malaysia.
38. Chemical Compound from Endophytic Fungi of Medicinal Plant Used in Treatment Of Gout (Elfita^{1*}, Muharni¹, Munawar : Faculty of Mathematics and Natural Sciences , Sriwijaya University) 259
39. 3-OXO Friedelin Compound from the Stem Bark of Manggu Leuweung (Garcinia cornea) 265
 (Muharni^{*}, Elfita, Handi : Department of Chemistry, Faculty of Mathematics and Natural Science, Sriwijaya University, Indralaya,, South Sumatera, Indonesia)
40. Antioxidant Flavonoids from Tunjuk Langit (*Helminthostacys Zaylanica*) 271
 (Fitrya^{1*}, Muharni¹ dan Eliza : Department of Chemistry, University of Sriwijaya)
41. The Industry Characteristic and Managers View: their Influence On Employment Relations In The Indonesian Hospitality Industry (Explorations From Three Case Studies) 276
 (Hendragunawan S¹. Thayf, John Lewer : Hasanuddin University, Indonesia)
42. Competitiveness of Management State-Owned Enterprises (Soes) 289
 Telecommunications
 (Kesi Widjajanti : Faculty of Economic Semarang University, Semarang, Indonesia)
43. Prospects and Challenges of The Introduction of Open Educational Resources in Indonesia (Daryono, Udan Kusmawan, Olivia Idrus) 299
44. Research Collaboration on Quality Assurance for Open and Distance Learning in Asia (Endang Nugraheni, Aminudin Zuhairi : Universitas Terbuka, Indonesia) 306
45. Fast Ship Serving Makassar, South Sulawesi to Majene, West Sulawesi 313
 (Muhammad Alham Djabbar and Andi Haris Muhammad : Ocean Engineering Study program, Department of Naval Architecture, Faculty of Engineering, Hasanuddin University, Makassar, Indonesia)
- D. Public Health and Medical Science**
46. Pesticides Exposure and Liver Dysfunction on Childbearing-Age Women in Kersana Sub District, Brebes Regency 316
 (Arum Siwiendrayanti , Public Health Department, Sport Science Faculty, Semarang State University)

47. Factors Related to The Occurrence of Low Back Pain Complaints On Employee Section of Corporate Customer Care Center (C4), PT Telekomunikasi Indonesia, Tbk Year 2010 325
(Yuli Amran, M. Farid Hamzens, Juniar Tri Syafitri, *State Islamic University Syarif Hidayatullah Jakarta*)
48. Relation of Work Risk Factors with Musculoskeletal Disorders (MSDs) Complaints of Gold Miner Workers In Subdistrict Ciligrang-Banten on 2010 334
(Yuli Amran, Raihana Nadra Alkaff, Endang Bukhori, *State Islamic University Syarif Hidayatullah Jakarta*)
49. Effect of Rehydration Solutions on Fatigue Among Women Workers 343
(Mardiana, *Public Health Departement, Sport Science Faculty, Semarang State University*)
50. The Association between Risk Factors, RULA Score, and Musculoskeletal Symptom among Workers in a Printing Manufacturing Company, Malaysia 349
(MC Foong, ²A Mohd Yusof, ¹B Mohd Rafee, and ¹AA Ahmad
¹*Department of Community Health, Faculty Medicine and Health Sciences, University Putra Malaysia,)*
51. Productive Work Time Lost Because Of Employee Smoking Behaviour in Wood Industry in Jepara District Central Java 356
(Nurjanah¹, Zahroh Shaluhiah², Bagoes Widjanarko² : ¹*Master Student of Health Promotion Program of Diponegoro University, lecturer of Health Faculty of Dian Nuswantoro University, Semarang.* ²*Lecturer of Health Promotion Program of Diponegoro University, Semarang*)
52. Water Quality and Water Borne Disease at The Lowland Ecosystem in Banyuasin 366
(Dianita Ekawati¹, Tan Malaka², Robiyanto³, M.T. Kamaluddin², Dwi Setiawan³, Amar Muntaha¹
¹*Department of Public Health, STIK Bina Husada, Palembang 30131, Indonesia*
²*Medicine Faculty of Sriwijaya University*
³*Agriculture Faculty of Sriwijaya University*
53. Measuring *Escherichia Coli* in Foods And Beverages Towards Certification of Cafeteria In Campus 381
(Dewi Susanna¹, Yvonne M. Indrawan¹, Zakianis¹, Tris Eryando¹, Lassie Fitria¹, Kartika A Dimarsetio¹, Aria Kusuma²
¹*Faculty of Public Health, Indonesia University,* ²*Doctoral Student of Public Health Science, Indonesia University, Indonesia*)
54. Pesticide, Adverse, and Safe Handling to Woman of Child Bearing Age (WCA) in Agriculture Area (Imelda Gernauli Purba : *Faculty of Public Health, Sriwijaya University, Indonesia*) 385
55. Comparative Analysis of Occupational Safety and Health Risk Management Program at University of Indonesia and National University of Singapore 396
(Anita Camelia, *Faculty of Public Health, University of Sriwijaya, Indonesia*)
56. Analysis of levels of lead (Pb) in semen and sperm motility at the Laboratory of Medical Biology Faculty of Medicine, University of Sriwijaya Palembang 406
(Nani Sari Murni¹, Tan Malaka², dan M. Zulkarnain² : *STIK Bina Husada,* ²*Faculty Medicine Of Sriwijaya University*)

57. The Correlation of the Use of PPE(Personal Protective Equipment With Respiratory Disorders of Wood Furniture Workers In Kecamatan Indralaya and Kecamatan Indralaya Utara 2011 432
(**Herliawati, Christine Sihaloho** : *Nursing Science Study Program, Faculty Medicine, Sriwijaya University, Indonesia*)
58. Value of Children as Determinants Parenting Nutrition on The Environment Vulnerable Sociocultural Nutrition (Village Pecuk, District Mijen, Demak Regency, Central Java) 438
(**Oktia Woro Kasmini H.**, *Department of Public Health Sciences FIK UNNES Semarang*)
59. Analysis of Rhodamine B in Cookie of Traditional Food Type (Study at Pasar Tanjung of Jember Regency) 445
(**Khoiron, Astri Rizky Vitantina, Rahayu Sri Pujiati**, *Departement of Environmental Health and Occupational Health & Safety Faculty of Public Health, University of Jember*)
60. Determinant Factor of Anemia Status Among Vegetarian Female Adolescent In Badung District of Bali Province 453
(**Putu Widarini**, *School of Public Health Udayana University*)
61. Diet, nutrition and the prevention of cervical cancer 459
(**Ciptaningtyas, R.**, *State Islamic University Syarif Hidayatullah Jakarta*)
62. The Correlation Between Macro Nutrient Consumption and Physical Activities With Overweight Among Children In Elementary School 472
(Study at Al-Furqan Elementary School, Jember Regency)
(**Leersia Yusi Ratnawati, Sulistiyani, Dwinda Prianton**, *Public Health Faculty, Jember University*)
63. Correlation of family participant with nutrition status of children under five years old in peguyangan village work area puskesmas iii of north denpasar 477
(**Ni Ketut Sutiari, Ni Luh Sudiasih, I Gusti Agung Ayu Mahayuningsih**, *School of Public Health, Faculty of Medicine, Udayana University*)
64. Does Birthweight Related With Chronic Diseases In Adult Life? 488
(**Suci Destriatania** : *Faculty of Public Health, University of Sriwijaya, Indonesia*)
65. Experience Breastfeeding Mother On Teens At Work Area Health Center Payaraman Year 2011 492
(**Bina Melvia Girsang**, *Faculty of Medicine, Nursing Science Study Program UNSRI*)
66. The Effect of Maternal Nutrition Anemia towards Low Birth Weight 502
(**Rini Mutahar, Misnaniarti, Fatmalina Febry** : *Faculty of Public Health, Sriwijaya University, Indonesia*)
67. Relationship Unhealthy Snack Habits with Diarrhea Incidence In Elementary School Children 508
(**Fatmalina Febry, Najmah, Indah Purnama Sari** : *Faculty of Public Health, Sriwijaya University, Indonesia*)

68. Relationship Between Age and Lifestyle with prevalence Hypertension in Poly medicine Moehammad Hoesin Hospital Palembang of the Year 2011 513
(**Nikson Sitorus, Desti Widiastuti**, *Health Polytechnic of Palembang Nursing Program*)
69. Determinants Pulmonary Tuberculosis Incident in District Banyuasin Multilevel Modelling Approach 519
(**Rismala Kesuma, Kamaluddin, Ngudiantoro, Ibrahim Eddy, Tjek Yan Suryadi**, *Departement of Public Health, STIKES Darul Ma'arif Al Insan Baturaja, Indonesia*)
70. Enabling Factors of Doing Pap Smear/Iva Test among Women at Age ≥ 35 Years in Denpasar Who Diagnosed Cervical Cancer At Sanglah Hospital 2011 524
(**Ni Luh Putu Suariyani, Regina Chrysantie Weking** : *School of Public Health, Faculty of Medicine, Udayana University*)
71. The Difference of Urinary Excretion Iodine (UEI) Increase between Primary School Children With and Without Ascariasis After Administration of Oral Iodized Capsule 531
(**Galuh Nita Prameswari**, *Public Health Departement, Sport Science Faculty, Semarang State University*)
72. Analysis of Determinants of Tuberculosis In The Workers at PT. Perkebunan Nusantara XII (Persero) of Jember Regency 541
(**Anita Dewi Prahastuti Sujoso, Ria Nuri Estu Karisma, Irma Prasetyowati**, *Departement of Environmental Health and Occupational Safety Health, Faculty of Public Health, University of Jember*)
73. Risk Factors of Lymphoma at dr. Soebandi Hospital of Jember District- East 549
(**Ni'mal Baroya, Pudjo Wahjudi, Annisa Reykaningrum**, *Public Health Faculty, Jember University, Jember*)
74. Hip Structure Associated with Hip Fracture in Women: Data From the Geelong Osteoporosis Study (GOS) Data Analysis- Geelong, Australia 560
(**Margaret Henry¹, Najmah², L. Gurrin³, J.Pasco¹**
¹ *Department of Clinical and Biomedical Sciences, The University of Melbourne, Australia*, ² *Faculty of Public Health, Sriwijaya University, Kampus Unsri Indralaya, Ogan Ilir, Sumatera Selatan, Indonesia*. ³ *School of Population Health, The University of Melbourne, Australia*)
75. The Study of Diabetes Mellitus Risk Factors in Bangka Belitung 569
(**Titi Sari Renowati, Anisyah, Amar Muntaha, Dianita Ekawati, Vera Susanti**, *Environmental Health Laboratory Agency and Disease Control, Palembang, Indonesia*)
76. Association of Knowledge, Perception, and Source of Information about Hiv Aids With Attitudes From Indonesian People To People Living With Hiv Aids (PLHA) 580
(Analysis Of SDKI 2007), Indonesia, 2010
(**Yeni, Najmah, Rini Mutahar** : *Faculty of Public Health, Sriwijaya University, Indonesia*)
77. Identification of Covert Patients With Filariasis and Epidemiologic Study of Filariasis in Sub-District of Tangkuno, Muna Regency, Province of Southeastern Sulawesi in 2009 593
(**Ramadhan Tosepu , Devi Savitri Effendy** : *Public Health Department of*

- Mathematics and Natural Sciences Faculty of Haluoleo University, Kendari)*
78. Characteristics among Injecting Drug Users Accessing and Not Accessing Needle And Syringe Program In Palembang, South Sumatera 599
(*Najmah Faculty of Public Health, Sriwijaya University, Indonesia*)
 79. The Use of Salivary A-Amylase And Stress-Related Symptoms Questionnaires as Indicator For Psychological Distress Among Breast Cancer Survivors 605
(*Yong, H.W., Zubaidah, J.O., Saidi. M., Zalilah, M.S., Yong, H.Y. and Zailina. H : Universiti Putra Malaysia, Selangor, Malaysia*)
 80. Self-Concept in Sexual Behavior of Campus Chicken's (*Ayam Kampus*) In Semarang 619
(*Eti Rimawati, Health Faculty Universitas Dian Nuswantoro*)
 81. The Sexual Relation Scripts of Premarital Sexual Intercourse among University Students In Bandar Lampung 626
(*Roro Rukmi Windi Perdani : Faculty of Medicine, University of Lampung, Lampung Province, Indonesia*)
 82. Development of Posyandu Information System for Supporting Surveillance of Maternal and Child Health (Case Study at Manisrejo Urban Village Taman District in Madiun City, East Java Province) 635
(*Abu Khoiri, Public Health Faculty, University of Jember*)
 83. Health Financing Reform as a Result of Decentralization Policy in Bali 641
(*Putu Ayu Indrayathi, Pande Putu Januraga, School of Public Health Medicine Faculti of Udayana University*)
 84. The Relationship between Marketing Mix and University Student Interest in Choosing Public Health Science Study Program Faculty of Medicine Andalas University 2011 647
(*Isnati, Syahril, Vonicha Regia, Faculty of Medicine, Andalas University*)
 85. Healthy Behavior-Based Development Model to a Free Larvae Aedes Aegypti by Environmental Health Education In The Eastern District Padang 658
(*Nizwardi Azkha, Rizanda Machmud : Faculty of Medicine, Universitas Andalas, Padang, Indonesia*)
 86. Health Care Seeking Behaviour of Community and Tb Patients, And Capability of Nonformal Health Services Provider In Tanjung Bintang Subdistrict, Indonesia 670
(*Nurul Islamy¹, Agus Setyo Widodo², Darman Zayadan², Ferizal Masra³, Haris Kadarusman³, Bachti Alisjahbana⁴*
¹Faculty of Medicine Lampung University, ²Health Office Lampung Province ³Health Institute Umitra Lampung, ⁴Faculty of Medicine Padjajaran University)
 87. Influence of Life Skills on Sexual Behavior in Adolescent at Seberang Ulu Area of Palembang 677
(*Iche Andriyani Liberty, Nur Alam Fajar, Elvi Sunarsih : Faculty of Public Health, Sriwijaya University, Indonesia*)

88.	Policy Review: Implementation Of The Development 'Desa Siaga' (Kepmenkes No 564/MENKES/SK/VIII/2006) (Iwan Stia Budi <i>Faculty of Public Health, Sriwijaya University, Indonesia</i>)	684
89.	The Development Study of 'Desa Siaga' In Ogan Ilir District (Misnaniarti, Asmaripa Ainy, Nur Alam Fajar : <i>Faculty of Public Health, Sriwijaya University, Indonesia</i>)	690
90.	Injection Drug Users (IDU) Behavior Toward Methadone Maintenance Therapy Program At Ernaldi Bahar Hospital 2010 (Tri Novia Kumalasari <i>Faculty of Public Health, Sriwijaya University, Indonesia</i>)	697
91.	The Experience of Parents Who Have Temper Tantrums Toddler (Arie Kusumaningrum, Chodijah Abdul Qudus, Eka Yulia Fitri : <i>School of Nursing Science, Faculty of Medicine, Sriwijaya University, Indonesia</i>)	705
92.	Factors that Influence the Behavior of Male Adolescence Smokers at Junior High School Kramat Jakarta (Cicilia Nony, Budi Sulistyowati, Wuryastuti : <i>School of Health Science, Sint Carolus</i>)	714
93.	Stratification of Public Health Services For Elderly at Urban and Rural Areas in Indonesia (Ari Istiany, Rusilanti and Sachriani : <i>Home Economics Department, Jakarta State University, Indonesia</i>)	718
	Summary Seminar	723
	Name and Addres of Presenter International Seminar	726

EC 12

BIODEGRADATION OF PETROLEUM HYDROCARBON BY SINGLE AND CONSORTIUM OF HYDROCARBONOCLASTIC BACTERIA FROM PETROELUM POLLUTED MANGROVE AREAS

Hary Widjajanti¹, Iswandi Anas², Nuni Gofar³, Moh.Rasyid Ridho³

¹Student of Doctoral Program at the Agricultural Science of the Graduate Program
of Sriwijaya University, email : haryunsri@yahoo.com

² Bogor Agricultural Institute ; ³Sriwijaya University

ABSTRACT

The study on the biodegradation of petroleum hydrocarbons by a single culture and a consortium of hydrocarbonoclastic bacterial isolated from mangrove areas contaminated oil has been done. The study aims to test the ability of single bacteria isolate in degrading petroleum hydrocarbons, to characterize and identify potential bacterial isolate in degrading petroleum hydrocarbon, and to obtain a potential consortium hydrocarbonoclastic bacteria and molds in biodegrading petroleum hydrocarbons. The petroleum biodegradation test was conducted by using a single culture of 29 isolates of bacteria. Out of the 29 isolates, five isolates of bacteria that have a high degradation ability were selected. The five bacterial isolates were further characterized and identified and made into a consortium culture with a combination of 3 (three) bacteria. Petroleum biodegradation tests were conducted by using ten combinations of a consortium culture and 3 (three) replications. Observed variables are the number of bacteria and the percentage of TPH (Total Petroleum Hydrocarbon) degradation. Five of the 29 bacterial isolates tested which have a high ability in degrading petroleum are *Bacillus aminovorans* (53.17%), *Pseudomonas alcaligenes* (53.04%), *Alcaligenes faecalis* (51.54%), *Bacillus cereus* (50.68%), and *Bacillus sphaericus var rotans* (50.30%). The culture of hydrocarbonoclastic bacterial consortium which is capable of degrading oil with the highest percentage of 91.86% consists of *Alcaligenes faecalis*, *Pseudomonas alcaligenes*, and *Bacillus aminovorans*.

Key words : biodegradation, consortium hydrocarbonoclastic bacteria, mangrove areas

INTRODUCTION

Mangrove areas have multi benefits in terms of socio-economic and ecological aspects, including their physical functions as a barrier to coastal erosion, seawater intrusion barrier, windbreaker, reducer of CO₂ gas content in the air and pollutants in coastal swamp waters (Noor *et al.*, 2006).

The mangrove forests in South Sumatra and Bangka Belitung cover an area of 1,966,804.94 ha, of which 437,432.10 ha (22.24%) are in damaged condition, 1,251,769.31 ha (63.64%) are severely damaged, and 277,612.53 ha (14.11%) are not damaged (Santoso, 2006). The mangrove forests quantitatively decline from year to year because of the land conversion for industrial, residential, and transportation needs. Mangrove forest area has decreased quantitatively, and qualitatively mangrove forests have also suffered environmental degradation due to pollution. This has happened, for example, in the mangrove areas in South Sumatra, especially the area of Tanjung Api-api, Sungsang, and Upang. The three areas are the areas of Watershed (DAS) of Musi and the Watershed (DAS) of Dawas which serve as the main shipping lines for transporting crude oil from oil fields of Sekayu (MUBA Regency) and Palembang oil fields. Oil pollution in the region is caused by spills and oil spills during the activities of drilling, producing, refining and transporting, permeation of the reservoir; activities of loading and unloading at the port; and the waste of tanker/vessel (Ridho *et al.*, 2005). Sungsang area is an area of mangrove ecosystem with the most severe level of damage. This is

Treatment of waste oil in the waters can be carried out by means of physical, chemical, and biological efforts. Physical and chemical methods are usually more expensive, not environmentally friendly, and the application can create new problems. Therefore, an alternative effort of treating waste oil which requires relatively cheaper cost and does not cause any negative impact on aquatic ecosystems is sought after. The treatment is handling of petroleum waste biologically. One method of biological treatment of waste oil is using bioremediation techniques. Bioremediation, the management which relies on the degradation by means of degrading microorganisms is an environmentally friendly way, which is effective, efficient, economical, and environmentally acceptable (Mangkoedihardjo, 2005 and Syakti, 2004).

Widjajanti *et al.* (2008) had found 29 hydrocarbonoclastic bacteria from petroleum contaminated mangrove area. All of the isolates can grow in oil contaminated environment and can use oil as sole carbon source, but quantitatively their ability to degrade petroleum hydrocarbon still unknown. For used as a bioremediation agent so must know their potency in petroleum hydrocarbon biodegradation.

Degrading bacteria used in treating waste oil usually have higher ability if used as a consortium culture or a mixed culture (Alpentri *et al.*, 2001 and Mukred *et al.*, 2008). Oil-degrading microbes do not work as individual species but in the form of multi-species consortium (Mangkoedihardjo, 2005). According to Sanchez (2006), the consortium is a group of microbes which are mutually beneficial to one another and carry out the process by which individual organisms can not do separately. According Alpentri *et al.* (2001) the process of biodegradation of hydrocarbons to perfection cannot possibly be done by only one type of microbe, but it is always done by a set of microbes. The rate of biodegradation of hydrocarbon compounds is more rapidly in mixed culture compared with single cultures.

The study aims to 1) test the ability of single bacteria isolate in degrading petroleum hydrocarbons, 2) characterize and identify potential bacterial isolate in degrading petroleum hydrocarbon, 3) obtain a potential consortium hydrocarbonoclastic bacteria and molds in biodegrading petroleum hydrocarbons.

MATERIALS AND METHODS

Petroleum hydrocarbon biodegradation by bacterial single culture

The bioreactor for biodegradation by bacteria is made by filling the bioreactor with a total volume of 100 ml which consists of 5% of petroleum (w/v), the source of N (KNO_3) and the source of P (K_2HPO_4) with a 10:1 ratio, 10% of bacterial inoculum with a density of 10^6 cells/mL, and Soeminarti liquid medium. The mixture was adjusted to reach pH 7 (Modification of Okoh & Trejo, 2006). Each treatment unit is agitated on a shaker with a speed of 120 rpm at room temperature for 7 days (Mukred *et al.*, 2008).

Of the 29 bacterial isolates whose potential in degrading petroleum hydrocarbons are tested, 5 (five) isolates with the highest capability are selected. The five isolates with the highest ability will then be made into 10 combinations of bacterial consortium cultures with each consortium culture consists of 3 (three) different bacterial species and repetitions are conducted 3 (three) times.

Characterization and identification of hydrocarbonoclastic bacteria

The characterization and identification are performed on five isolates of hydrocarbonoclastic bacteria with high ability. Morphological characters of the bacteria being observed includes the growth in the plate Nutrient Agar (NA), tilt NA medium, and straight NA medium. Cell morphology being observed includes size, shape, and cell chains, the nature of Gram, and the presence/ the absence of endospores (Pikoli *et al.*, 2000). The characterization of physiological and biochemical properties covers : the hydrolysis of starch, fat, casein, and gelatin, the fermentation of glucose, sucrose, and lactose, the production of H_2S , indole, urea, and catalase, the tests of Methyl Red, Voges-Proskauer, TSI, and Simmon's citrate, and the reduction of the nitrate (Cappuccino & Sherman, 1992). Identification of the bacteria is based on the characters of each of the bacterial isolates obtained from the characterization process which is then further identified based on Holt *et al.*, (1994).

Petroleum hydrocarbons biodegradation by 10 combinations of culture consortium

This stage begins with making a standard curve of bacteria which is prepared by following the Hadioetomo's modification method (1990), which is then followed by making of bacterial growth curves, consortium of bacteria, and bacterial culture consortium standard curves.

The Experiments are prepared by using Completely Randomized Design with a combination of treatment of the combination of 3 (three) species of bacteria of the 5 (five) species of bacteria with the highest capability, so there are 10 (ten) treatments, each of which is repeated 3 (three) times.

The bioreactor for biodegradation by bacteria is made by the same procedure in biodegradation by single bacterial but bioreactor incubated for 14 days. The variables of observations measured are the bacterial cell number and the percentage of degradation of petroleum hydrocarbons. The counting of the number of the bacteria is measured by using a spectrophotometer (at wavelength $\lambda = 620$ nm). The absorbance value is entered into the equation of mixed culture (Hadioetomo's modification, 1990). The measurement of the percentage of the degradation of petroleum hydrocarbons is done by means of gravimetric method. According Nugroho (2006), the percentage of weight loss of petroleum sludge during the testing treatment showed the percentage of degradation that occurred. Analysis of variance (ANOVA) at α level of 0.05 is performed on data obtained from the observations. If there is a significant difference, then it will proceed with a further test of Duncan's New Multiple Range Test (DNMRT) using the Statistics Program-6.

RESULT AND DISCUSSION

Petroleum hydrocarbon biodegradation by single culture bacteria

The results of the ability tests of the 29 bacterial in degrading petroleum hydrocarbons and the selection of 5 (five) species of bacterias and molds with the best capabilities are presented in Table 1.

Table 1. Percentage of petroleum hydrocarbon degradation by single culture bacteria

No.	Isolate Code	Petroleum degradation (%)	No.	Isolate Code	Petroleum degradation (%)
1.	B ₂₅	53.17	16.	B ₂₇	47.18
2.	B ₂₁	53.04	17.	B ₁₈	46.32
3.	B ₂₀	51.54	18.	B ₅	45.71
4.	B ₂₄	51.68	19.	B ₁	45.46
5.	B ₂₉	51.30	20.	B ₉	43.57
6.	B ₁₅	50.28	21.	B ₁₄	42.56
7.	B ₁₁	50.25	22.	B ₃	40.67
8.	B ₄	50.23	23.	B ₁₂	40.21
9.	B ₈	50.23	24.	B ₁₀	38.87
10.	B ₂₂	50.21	25.	B ₂	38.76
11.	B ₁₇	50.16	26.	B ₁₃	38.45
12.	B ₂₃	50.02	27.	B ₇	37.81
13.	B ₁₉	49.98	28.	B ₁₆	37.54
14.	B ₂₈	49.78	29.	B ₆	35.25
15.	B ₂₆	47.73			

Characterization and identification 5 (five) species of bacteria

Of the 29 species of bacteria, 5 (five) species of bacteria with the highest degradation capability are used to create a mixed culture formula, namely : isolates B₂₅ (*Bacillus aminovorans*), B₂₁ (*Pseudomonas alcaligenes*), B₂₀ (*Alcaligenes faecalis*), B₂₄ (*Bacillus cereus*), B₂₉ (*Bacillus sphaericus* var *rotans*) (Table 2). This result is in accordance with Leahy and Colwell (1990) there are 200 bacteria species that can degrade petroleum on the sea. The important genera bacteria are *Achromobacter*, *Acinetobacter*, *Alcaligenes*, *Arthrobacter*, *Bacillus*, *Brevibacterium*, *Corynebacterium*, *Flavobacterium*, *Nocardia*, *Pseudomonas*, and *Vibrio*.

Petroleum hydrocarbons biodegradation by consortium culture bacteria

The combination of a consortium of bacterial culture significantly influences both the number of bacteria and the percentage of oil degradation. The bacterial population and the percentage of oil degradation of 10 (ten) a combination of bacterial culture consortium is presented in Table 3.

Table 2. Characteristic and identity 5 (five) species of bacteria

Isolate character	Isolate B ₂₀	Isolate B ₂₁	Isolate B ₂₄	Isolate B ₂₅	Isolate B ₂₉
Macroscopic colony morphology	Circular, entire, umbonate, fluorescent/bioluminescent	Circular, entire, convex, translucent (more fluorescent)	Circular, serrate, raised, rough surface, opaque, waxy	Circular, lobate, raised, opaque, big colony like flower	Circular, undulate, flat, translucent, unpigmented
Microscopic cell morphology	Coccus, Gram negative, did not produce spore	Bacillus, gram negative, did not produce spore	Bacillus, Gram positive, produce spore	Bacillus, Gram positive, produce spore	Bacillus, Gram positive, produce spore
Motility	Motile	Non motile	Motile	Motile	Non motile
Biochemical tests					
-Starch Hydrolysis	Negative	Positive	Positive	Positive	Negative
-Lipid Hydrolysis	Positive	Negative	Negative	Negative	Negative
-Casein Hydrolysis	Positive	Negative	Positive	Positive	Negative
-Gelatin Hydrolysis	Negative	Negative	Positive	Positive	Negative
-Glucose Fermentation	Negative	Negative	Positive	Negative	Positive
-Sucrose Fermentation	Negative	Negative	Negative	Negative	Positive
-Lactose Fermentation	Negative	Negative	Negative	Negative	Negative
-H ₂ S production	Negative	Negative	Negative	Negative	Negative
-Indole Production	Negative	Negative	Negative	Negative	Negative
-Urease Production	Positive	Negative	Negative	Negative	Negative
-Catalase Production	Positive	Positive	Positive	Positive	Negative
-Methyl red test	Positive	Negative	Negative	Negative	Negative
-Voges Proskauer test	Negative	Negative	Negative	Positive	Negative
-TSI test	Negative	Positive	Negative	Positive	Positive
-Simmon's citrate test	Positive	Positive	Positive	Positive	Negative
-Nitrat reduction	Negative	Positive	Positive	Negative	Positive
CONCLUSION	<i>Alcaligenes faecalis</i>	<i>Pseudomonas alcaligenes</i>	<i>Bacillus cereus</i>	<i>Bacillus aminovorans</i>	<i>Bacillus sphaericus</i> var <i>rotans</i>

The combination treatment of mixed cultures of bacteria influences the number of bacteria, due to differences in bacterial activities which are mixed and allegedly due to a synergistic interaction. According Suardana *et al.*, (2002), if two or more different bacteria are grown together in a single treatment medium, the metabolic activity will be quantitatively and qualitatively different from the amount of metabolic activity of each species of bacteria that are grown in the same treatment medium separately. The beneficial effect of bacteria which are mixed in a consortium is that their activities become more optimal, and this condition can help speed up the process of biodegradation of petroleum hydrocarbons. Consortium culture supports the growth of indigenous bacteria that work synergistically.

The highest average of bacterial populations is obtained from combination treatment of consortium cultures of *Alcaligenes faecalis*, *Pseudomonas alcaligenes*, and *Bacillus aminovorans*, and is significantly different from 8 other combinations, but non significantly different with combination of consortium cultures of *Pseudomonas alcaligenes*, *Bacillus aminovorans*, and *Bacillus sphaericus* var *rotans*. This is due to a synergistic association among bacteria. According to Atlas & Bartha (1998), cell growth is at its best when a combination of consortium cultures uses *Pseudomonas*. *Pseudomonas* causes an association which is synergistic in nature. The synergistic association gives the ability to the combination of the bacterial population to perform the synthesis of a product that cannot be done alone. The hydrocarbon fraction which is used by the bacteria as carbon and energy source can be derived from a fraction of the breakdown of hydrocarbons by themselves or the fraction of the breakdown of hydrocarbons by the other bacteria. According Nugroho (2006) each species of

bacteria requires a specific substrate. Some bacteria interact beneficially with each other in the form of consortium.

The percentage of biodegradation of petroleum hydrocarbons is greater by using consortia of bacterial culture compared to using a single culture. This is because the bacteria used in degrading waste oil typically have higher ability if used as a consortium culture. Consortium cultures have a more complete profile of enzymes than a single culture. According to Mukred *et al.* (2008) hydrocarbon compounds which are lighter and simpler can be degraded earlier at an early stage by a

Table 3. The average bacterial population and the percentage of petroleum degradation of 10 (ten) combinations of consortium cultures.

No.	Consortium cultures	Bacterial population (cfu/mL)	Petroleum degradation (%)
1.	B ₂₄ + B ₂₅ + B ₂₉	1.9.10 ⁷ a	91.13 cd
2.	B ₂₁ + B ₂₄ + B ₂₉	2.9.10 ⁷ b	89.95 abcd
3.	B ₂₀ + B ₂₁ + B ₂₄	3.7.10 ⁷ c	90.04 abcd
4.	B ₂₀ + B ₂₅ + B ₂₉	3.9.10 ⁷ c	89.62 abc
5.	B ₂₁ + B ₂₄ + B ₂₅	5.1.10 ⁷ d	90.59 bcd
6.	B ₂₀ + B ₂₄ + B ₂₅	5.2.10 ⁷ de	91.52 d
7.	B ₂₀ + B ₂₁ + B ₂₉	5.7.10 ⁷ de	88.81 a
8.	B ₂₀ + B ₂₄ + B ₂₉	6.2.10 ⁷ de	89.79 abc
9.	B ₂₁ + B ₂₅ + B ₂₉	6.6.10 ⁷ ef	89.52 ab
10.	B ₂₀ + B ₂₁ + B ₂₅	8.1.10 ⁷ f	91.86 d

Notes: the numbers followed by the same small letters on the same column show no significance difference according DNMRT ($\alpha = 5\%$)

B₂₀: *Alcaligenes faecalis*

B₂₁: *Pseudomonas alcaligenes*

B₂₄: *Bacillus cereus*

B₂₅: *Bacillus aminovorans*

B₂₉: *Bacillus sphaericus* var *rotans*

bacterial culture, then the compounds which have not been degraded in the early stages, are degraded by the second culture and so on. According Kanaly & Harayama (1995) and Nugroho (2006) the composition of complex compounds, such as petroleum hydrocarbons cause a single species of bacteria to be unable to degrade all the components of petroleum, because each species of bacteria require a specific substrate. Some bacteria which interact mutually beneficially with one another in the form of a consortium have a highly beneficial role during the degradation process of petroleum hydrocarbons.

The combination treatment of consortium culture which produces high percentage of degradation of petroleum hydrocarbons is a combination of : *Alcaligenes faecalis*, *Pseudomonas alcaligenes*, and *Bacillus aminovorans*, ; *Alcaligenes faecalis*, *Bacillus cereus*, and *Bacillus aminovorans*, ; *Pseudomonas alcaligenes*, *Bacillus cereus*, and *Bacillus aminovorans*, *Pseudomonas alcaligenes*, *Bacillus cereus*, and *Bacillus aminovorans* ; *Alcaligenes faecalis*, *Pseudomonas alcaligenes*, and *Bacillus cereus*. Sequentially the average percentages of degradation of petroleum hydrocarbons are as follows: 91.86%, 91.52%, 91.13%, 90.59%, and 90.04% (Table 3). It is allegedly due to the fact that the genus *Bacillus*, *Pseudomonas* and *Alcaligenes* are able to degrade petroleum hydrocarbons from low molecular weight to high molecular weight resulting in a high percentage of degradation. According to Alexander (1977) genus *Bacillus* and *Pseudomonas* are capable of degrading petroleum hydrocarbons with low molecular weight such as ethane, propane and butane, and the petroleum hydrocarbons with high molecular weight such as aromatic hydrocarbons, phenol, naphthalene and antrasena. According to Atlas & Bartha (1998), the genus of *Pseudomonas* can grow and degrade petroleum hydrocarbons chain C₁₈-C₃₆. According to Desai & Vyas (2006), the genus *Bacillus*, *Pseudomonas* and *Alcaligenes* are able to degrade saturated hydrocarbons, monoaromatic hydrocarbons, and polyaromatic hydrocarbons. According to Zhu *et al.* (2004), the genus *Pseudomonas* and *Alcaligenes* are bacterial consortium cultures which are able to degrade the components of petroleum hydrocarbons alkanes with carbon chain C₂₀-C₂₅. Presumably because of the differences in the ability of each genus in degrading petroleum hydrocarbons so that the hydrocarbon components of the low, the medium and the high molecular weight can be degraded. According to

- Santoso, D.S.B.2006.Hasil inventarisasi dan identifikasi mangrove Propinsi Sumatera Selatan dan Propinsi Kepulauan Bangka Belitung. Buku I (buku utama). PT Multima Krida Cipta.Palembang.
- Suardana, P., M.Mulyono, D. Supardi, dan E.Santoso. 2002. Pengaruh surfaktan linear alkylbenzena sulfonat dalam mempercepat bioremediasi limbah minyak bumi. Simposium Nasional IATMI.1-11.
- Suryatmana, P., E.Kardena, Ratnaningsih., and Wisjnuprpto. 2006. Improving the efectiveness of crude-oil hydrocarbon biodegradation employing *Azotobacter Chroococcum* co-inoculant. Agriculture Faculty of Padjadjaran University. 1-16.
- Syakti, A.D.2005. Multi-proses remediasi dalam penanganan tumpahan minyak (*Oil Spill*) di perairan laut dan pesisir. Seminar Bioremediasi. Fakultas Pertanian Universitas Mulawarman. 1-6.
- Widjajanti,H., Munawar., M.R.Ridho.2008. Upaya Rehabilitasi Hutan Mangrove: Studi Modeling Bioremediasi Menggunakan Agen Biologis Indigenous untuk Menurunkan Bahan Pencemar di Hutan Mangrove Wilayah Propinsi Sumatera Selatan
- Zhu, X, A.D.Venosa, & M.T. Suidan, 2004. Literature review on the use of commercial bioremediation agents for clean up of oil-contaminated estuarine environments. EPA/600/R-04/075.