

4-
17

- Conferences
- Committees
- Publications
- Manuscripts
- Submission
- Information

International Journal of Agricultural and Environmental Engineering is a scholarly open access, peer-reviewed, interdisciplinary, monthly and fully refereed journal focusing on theories, methods and applications in Agricultural and Environmental Engineering.

The journal aims to maintain a rapid editorial procedure and a rigorous peer-review system. The submitted articles are peer-reviewed within approximately three months of submission and the accepted articles are published on the internet immediately upon receiving the final versions. All accepted articles are published free of charge.

Commenced in January 2007 **Frequency:** Monthly **Edition:** International

Indexed in World Academy of Science, Engineering and Technology for Excellence in Research for Australia (ERA), Google Scholar, Compendex, Scopus, WorldCat, EBSCO, GALE and Thomson Reuters

Submit Journal Papers	Instructions for Authors	Download Paper Style Files
	Online Journal Issues	
Volume 6 (2012) Issues	Volume 5 (2011) Issues ✓	Volume 4 (2010) Issues
Volume 3 (2009) Issues	Volume 2 (2008) Issues	Volume 1 (2007) Issues

Alphabetical List of Journal Titles

- International Journal of Aerospace and Mechanical Engineering
- International Journal of Agricultural and Biological Sciences
- International Journal of Agricultural and Environmental Engineering ✓
- International Journal of Biological and Biomedical Engineering
- International Journal of Biological and Ecological Engineering
- International Journal of Biological and Life Sciences
- International Journal of Biological and Medical Sciences
- International Journal of Chemical and Biological Engineering
- International Journal of Communication and Cultural Sciences
- International Journal of Computational and Mathematical Sciences
- International Journal of Computer and Communication Engineering
- International Journal of Computer and Control Engineering
- International Journal of Computer and Information Engineering
- International Journal of Computer and Information Sciences
- International Journal of Computer and Mathematical Sciences
- International Journal of Computer and Mechatronics Engineering
- International Journal of Computer and Systems Sciences
- International Journal of Civil and Architectural Engineering
- International Journal of Civil and Environmental Engineering
- International Journal of Civil and Structural Engineering
- International Journal of Economics and Business Sciences
- International Journal of Economics and Financial Sciences
- International Journal of Economics and Management Sciences
- International Journal of Economics and Social Sciences
- International Journal of Education and Information Sciences
- International Journal of Electrical and Biomedical Engineering
- International Journal of Electrical and Computer Engineering
- International Journal of Electrical and Electronics Engineering
- International Journal of Electrical and Nuclear Engineering
- International Journal of Electrical and Power Engineering
- International Journal of Energy and Environmental Engineering
- International Journal of Energy and Mining Engineering
- International Journal of Engineering and Applied Sciences
- International Journal of Engineering and Mathematical Sciences
- International Journal of Engineering and Natural Sciences
- International Journal of Engineering and Physical Sciences
- International Journal of Environmental and Earth Sciences
- International Journal of Environmental and Ecological Engineering
- International Journal of Environmental and Geological Engineering
- International Journal of Experimental and Applied Sciences
- International Journal of Food and Agricultural Engineering
- International Journal of Geomatics and Geological Engineering

Conferences
Committees
Proceedings
Publications
Membership
Information

World Academy of Science, Engineering and Technology
International Scientific Editorial Board Members

a) Medical and Biological Sciences b) Social and Human Sciences c) Engineering and Physical Sciences

Editorial Policies for Peer Review: The Full text paper submissions are peer-reviewed by the members of the specific *Scientific Committees and Editorial Boards* to assess their quality and relevance to scope of the specific journal issues / conferences. All full text papers are refereed, and the Editor-in-Chief reserves the right to refuse any manuscript, whether on invitation or otherwise, and to make suggestions and/or modifications before publication. Therefore, a full double - blind international refereeing process is used in which :

-Papers are sent to reviewers for their peer review process.

-The reviewers' recommendations determine whether a paper will be accepted / accepted subject to change / subject to resubmission with significant changes / rejected.

The SHERPA/RoMEO list for Permissions: The SHERPA/RoMEO summarises publisher's conditions for pre-prints and post-prints and then assigns a colour category according to the permissions given. These are "green" for pre-print and immediate post-print archiving; "blue" if pre-prints are not allowed; "yellow" if only pre-prints are allowed and "white" if archiving is not allowed at all. World Academy of Science, Engineering and Technology is categorized as "green" for pre-print and immediate post-print archiving.

Alexander Vaninsky
Mathematics Department
Hostos Community College, CUNY, USA

Kevin Fong-Rey Liu
Department of Safety, Health and Environmental
Engineering, Ming Chi University of Technology, TW

Arkady Bolotin
Ben-Gurion University of the Negev
Beersheba, Israel

Majid Tolouei-Rad
School of Engineering
Edith Cowan University, Perth, Australia

Byoung-Tak Zhang
School of Computer Science and Engineering
Seoul National University, Seoul, Korea

Mikhail E. Semenov
Department of Math. and Mathematical Physics
Tomsk Polytechnic University, Russia

Chanseng He
Department of Geography
Western Michigan University, USA

Miloš Šeda
Brno University of Technology
Institute of Automation and Computer Science, CZ

Chen-Yuan Chen
Department of Computer Science
National Pingtung University of Education, TW

Prabhat K. Mahanti
Department of Computer Science and Applied
Statistics, University of New Brunswick, Canada

Christos Grecos
School of Computing
University of West of Scotland, UK

Quoc-Nam Tran
Lamar (Texas State) University
Beaumont, Texas, USA

Edgardo Bucciarelli
Department of Quantitative Methods and Economic
Theory, University of Chieti-Pescara, Italy

Sabrina Fawzia
Faculty of Built Environment and Engineering
Queensland University of Technology, Australia

Edison Muzenda
Faculty of Engineering and the Built Environment
University of Johannesburg, Doornfontein, ZA

Simon Brown
School of Human Life Sciences
University of Tasmania, Australia

Eric T T Wong
Department of Mechanical Engineering
The Hong Kong Polytechnic University, Hong Kong

S. M. A. Burney
Department of Computer Science
University of Karachi, Pakistan

James. A. Nelson
Department of Accounting and Information Systems
New Mexico State University, USA

Wang Zhigang
University of California, Davis
Mechanical & Aeronautical Engineering, USA

Karen Armstrong
York University
Faculty of Education, Canada

Yeon-Mo Yang
Department of Electronic Engineering
Kumoh National Institute of Technology, Korea

Kenan Matawie
School of Computing and Mathematics
University of Western Sydney, Australia

Zarita Zainuddin
School of Mathematical Sciences
Universiti Sains Malaysia

Kenneth Revett
University of Westminster
Harrow School of Computer Science, London, UK

Zhanna Mingaleva
Faculty of Economics
Perm State University, Russia

Conferences

Committees

Proceedings

Publications

Membership

Information

INTERNATIONAL SCIENTIFIC COUNCIL

Dipartimento di Ingegneria Industriale Phone ++390498276799
 Università di Padova Direct ++393497168150
 Via Venezia, 1 - 35131 Padova, Italy Fax ++390422260333
 PO Box 3151 NMSU Las Cruces, Phone ++15756350018
 NM 88003-3151 USA Phone ++971559099620

ASIA & EUROPE

Marco Raciti Castelli
 UNIPD, Padova, Italy
 Tel: ++393207179239
 Ali Hilal Alnaqpi
 UAEU, Abu Dabi, UAE
 Tel: ++971506725333
 Ahmad-Ur-Rahman Saljoki
 AUP, Peshawar, Pakistan
 Tel: ++923339139959
 S.B. Hinchigeri
 KU, Dharwad-580003, India
 Tel: ++919448188417
 Igor Astrov
 TTU, Tallinn, Estonia
 Tel: ++3726202113
 Milos Seda
 BUT, Brno, Czech Republic
 Tel: ++420541143332
 Aleksandra Zebrowska
 AWF, Katowice, Poland
 Tel: ++48608418581
 Yeon-Mo Yang
 KNIT, Kumoh, Korea
 Tel: ++82163458620
 Tatyana Boikova
 BSA, Riga, Latvia
 Tel: ++37128294266
 Krzysztof Stypula
 PK, Krakow, Poland
 Tel: ++48126282031
 Joanna Dulinska
 PK, Krakow, Poland
 Tel: ++48126282351
 Jui-Pin Hung
 NCUT, Taichung, Taiwan
 Tel: ++886423924505
 Chen-Yuan Chen
 NPUE, Pingtung, Taiwan
 Tel: ++886927311231
 Yan Liu
 Qinghai University, Xining, China
 Tel: ++0086-13897248341

ASIA & OCEANIA

Kenan Matawie
 UWS, Sydney, Australia
 Tel: ++61411062244
 Kevin F.R. Liu
 MCUT, Taipei, Taiwan
 Tel: ++886926995906
 Simon Brown
 UT, Tasmania, Australia
 Tel: ++61363245467
 Eric T T Wong
 HKPolyU, Hong Kong
 Tel: ++825 97470507
 Zhou Xiaodong
 IMRE, Singapore
 Tel: ++6591856378
 Seung-You Na
 CNU, Gwangju, Korea
 Tel: ++82625301763
 Mohd. F. Shabir
 TEC, Chennai, India
 Tel: ++919790713448
 Khadija Lureshi
 MUET, Sindh, Pakistan
 Tel: ++923063009900
 Ji-Hwan Kim
 SNU, Seoul, Korea
 Tel: ++821041210181
 N.K. Narayanan
 KannurU, Kerala, India
 Tel: ++919446955830
 Sabrina Fawzia
 QUT, Brisbane, Australia
 Tel: ++61731381012
 Sitalakshmi Venkatraman
 UB, Ballarat, Australia
 Tel: ++61353279074
 Hilal A. Fadhil
 UNIMAP, Perlis, Malaysia
 Tel: ++60175483570
 Majid Tolouei-Rad
 ECU, Perth, Australia
 Tel: ++61863045883

AFRICA & AMERICA

James. A. Nelson
 Tel: ++15756495938
 NMSU, New Mexico, USA
 Alexander Vaninsky
 HOSTOS CUNY, New York, USA
 Tel: ++17185186615
 Abd El Baith M. Mohamed
 AASTMT, Cairo, Egypt
 Tel: ++20122161730
 Nerey H. Mvungi
 UD, Dodoma, Tanzania
 Tel: ++255784279663
 Prabhat K. Mahanti
 UNB, New Brunswick, Canada
 Tel: ++15066485628
 Rajab Abdullah Hokoma
 University of Tripoli, Tripoli, Libya
 Tel: ++218914771239
 Edison Muzenda
 UJ, Johannesburg, South Africa
 Tel: ++27764072314
 Omar Fakihi Hamad
 UJ, Johannesburg, South Africa
 Tel: ++27791112238
 Uchenna Virginia Okolie
 UN, Enugu, Nigeria
 Tel: ++2348036741302
 Said M. Easa
 RU, Toronto, Canada
 Tel: ++14168768119
 Messaouda Azzouzi
 UD, Djelfa, Algeria
 Tel: ++213776705798
 Abdel-Badeeh M. Salem
 ASU, Cairo, Egypt
 Tel: ++2022903906
 Abdulfatah Aboufayed
 TU, Tripoli, Libya
 Tel: ++218917627009
 Mario Mastriani
 UNTref, Buenos Aires, Argentina
 Tel: ++5491140826808

As per the scientific commitment to the enhancement of Science, Engineering and Technology, We encourage visitors to contact us with their feedback, suggestions, comments and questions so that we may serve you better.

Title

..... Title.....

Contact Title

Whom do you wish to contact? ▾

Full Name

Email Address

Country

..... Country..... ▾

Institution

[ferences](#)
[mittees](#)
[ceedings](#)
[ications](#)
[embership](#)
[formation](#)

World Academy of Science, Engineering and Technology is a scholarly open access, peer-reviewed, interdisciplinary, monthly and fully refereed journal focusing on theories, methods and applications in Science, Engineering and Technology.

The international scientific research journal aims to maintain a rapid editorial procedure and a rigorous peer-review system. The submitted articles are reviewed within approximately three months of submission and the accepted articles are published on the internet immediately upon receiving the final versions. All accepted articles are published free of charge.

Commenced in January 2007

Frequency: Monthly

Edition: International

pISSN 2010-376X

eISSN 2010-3778

Indexed in Scientia, Excellence in Research for Australia (ERA), Google Scholar, Compendex, Scopus, WorldCat, EBSCO, GALE and Thomson Reuters

Scientia is open access full text paper database of peer-reviewed scientific literature. Scientia are e-only products focussed entirely on publishing high quality journal papers and conference proceedings. Scientia enable fast dissemination of scientific and technical information, so journal editors / authors and conference delegates can publish their papers in dedicated online issues on Scientia, which are then made freely available worldwide.

The high quality journal papers and conference proceedings are accepted for publication in Scientia based on suitability and are required to meet certain criteria, including relevance to an international audience and covering highly cited or timely topics.

Scientia offer a single, highly recognized platform where journal and conference papers can be hosted and accessed by millions of researchers, enabling authors to keep abreast of the latest developments in their field. All high quality journal papers and conference proceedings will appear online, on Scientia, within 6 weeks of acceptance of the final manuscripts via journal editor and the conference organizer and will then be freely available to all users. Scientia offer authors and conference organizers a fast and cost effective way to provide maximum exposure for their scientific papers.

[Submit Journal Papers](#)

[Instructions for Authors](#)

[Download Paper Style Files](#)

[Scientia Special Journal Issues](#)

Issue 0066: 2012	Issue 0067: 2012	Issue 0068: 2012		
Issue 0061: 2012	Issue 0062: 2012	Issue 0063: 2012	Issue 0064: 2012	Issue 0065: 2012
Issue 0056: 2011	Issue 0057: 2011	Issue 0058: 2011	Issue 0059: 2011	Issue 0060: 2011
Issue 0051: 2011	Issue 0052: 2011	Issue 0053: 2011	Issue 0054: 2011	Issue 0055: 2011
Issue 0046: 2010	Issue 0047: 2010	Issue 0048: 2010	Issue 0049: 2011	Issue 0050: 2011
Issue 0041: 2010	Issue 0042: 2010	Issue 0043: 2010	Issue 0044: 2010	Issue 0045: 2010
Issue 0036: 2009	Issue 0037: 2010	Issue 0038: 2010	Issue 0039: 2010	Issue 0040: 2010
Issue 0031: 2009	Issue 0032: 2009	Issue 0033: 2009	Issue 0034: 2009	Issue 0035: 2009
Issue 0026: 2009	Issue 0027: 2009	Issue 0028: 2009	Issue 0029: 2009	Issue 0030: 2009
Issue 0021: 2008	Issue 0022: 2008	Issue 0023: 2008	Issue 0024: 2008	Issue 0025: 2009
Issue 0016: 2008	Issue 0017: 2008	Issue 0018: 2008	Issue 0019: 2008	Issue 0020: 2008
Issue 0011: 2007	Issue 0012: 2007	Issue 0013: 2008	Issue 0014: 2008	Issue 0015: 2008
Issue 0006: 2007	Issue 0007: 2007	Issue 0008: 2007	Issue 0009: 2007	Issue 0010: 2007
Issue 0001: 2007	Issue 0002: 2007	Issue 0003: 2007	Issue 0004: 2007	Issue 0005: 2007

ferences
committees
anuscripts
bmission
embership
iformation

Article#	WORLD ACADEMY OF SCIENCE, ENGINEERING AND TECHNOLOGY ISSUE 53 MAY 2011	Page#
1	Vertex Configurations and Their Relationship on Orthogonal Pseudo Polyhedra <i>Jefri Marzal, Hong Xie, Chun Che Fung</i>	1
2	Investigation on Some Ergonomics and Psychological Strains of Common Militarism Protective Clothing <i>A. Ashjara, A. Rashidi, R. Ghazi-Saeidi</i>	9
3	Future Population Development in Kazakhstan <i>A. Jazybayeva</i>	12
4	WiMAX RoF Design for Cost Effective Access Points <i>Haruka Mikamori, Koyu Chinen</i>	15
5	The Effect of Selective Cyclooxygenase (COX) Inhibitors on Japanese Medaka (<i>Oryzias latipes</i>) Reproduction Parameters <i>Agata Kowalska, Radoslaw K. Kowalski, Zdzislaw Zakes</i>	19
6	Integration of Fixed and Variable Speed Wind Generator Dynamics with Multimachine AC Systems <i>A.H.M.A.Rahim</i>	24
7	A Comparative Study on Eastern and Western Wedding Ceremonies in Korean Films and Hollywood Films <i>Timothy Yoonsuk Lee, Joonhyoup Lee, Yoojin Chung</i>	32
8	A Confucianism Observed in Disaster Films of East Asia <i>Timothy Yoonsuk Lee, Jinhwan Yu, Somi Nah</i>	42
9	Power Control in a Doubly Fed Induction Machine <i>A. Ourici</i>	51
10	Extended Minimal Controller Synthesis for Voltage-Fed Induction Motor Based on the Hyperstability Theory <i>A. Ramdane, F.Naceri, S. Ramdane</i>	55
11	Passive Flow Control in Twin Air-Intakes <i>Akshoy R. Paul, Pritanshu Ranjan, Ravi R. Upadhyay, Anuj Jain</i>	60
12	A Microcontroller Implementation of Model Predictive Control <i>Amira Abbas Kheriji, Faouzi Bouani, Mekki Ksouri, Mohamed Ben Ahmed</i>	68
13	Determinants Which Influence The Tourism Investments In Greece <i>Anastasios Alexandridis</i>	75
14	Extending the Conceptual Neighborhood Graph of the Relations for the Semantic Adaptation of Multimedia Documents <i>Azze-Eddine Maredj, Nourredine Tonkin</i>	80
15	Ethics in the Technology Driven Enterprise <i>Bobbie Green, James A. Nelson</i>	84
16	A Critical Study of Media Profiling on Society's Social Problems from a British Perspective <i>Cj Gletus Matthews Cn Jacobs, Kogilah Narayanasamy</i>	88
17	Towards An Extended International HRM Model for Emerging Multinational Enterprises <i>Connie Zheng</i>	92
18	The Association between the Firm Characteristics and Corporate Mandatory Disclosure the Case of Greece <i>Despina Galani, Anastasios Alexandridis, Antonios Stavropoulos</i>	101
19	Featured based Segmentation of Color Textured Images using GLCM and Markov Random Field Model <i>Dipti Patra, Mridula J</i>	108
20	Goodwill in the Current Greek Accounting Environment <i>Efthymios Gravas, Anastasios Alexandridis, Antonios Stavropoulos</i>	114
21	Computing a Time Based Effective Radius-of-Curvature for Roadways <i>Gary D. Cantrell, E. Alex Baylot</i>	120
22	Application-Specific Instruction Sets Processor with Implicit Registers to Improve Register Bandwidth <i>Ginhuan Li, Chiuyun Hung, Desheng Chen, Yiwen Wang</i>	132
23	Comparison of Performance between Different SVM Kernels for the Identification of Adult Video <i>Hajar Bouirouga, Sanaa El Fkihi, Abdeilah Jilbab, Driss Aboutajdine</i>	137
24	Some Applications of Grobner bases <i>Hassan Noori, Abdolali Basiri, Sajjad Rahmany</i>	141
25	Elucidating the Influence of Demographics and Psychological Traits on Investment Biases <i>Huei-Wen Lin</i>	145
26	Use Cuticular Hydrocarbons as Chemotaxonomic of The Pamphagidae Pamphagus elephas (Insecta, Orthoptera) of Algeria <i>M. Bounechada, F. Benia, M. Aiouaz, S. Bouharati, N. Djirar, H. Benamrani</i>	151
27	Towards the Creation of Adaptive Content from Web Resources in an E-Learning Platform to Learners Profiles <i>M. Chaoui, M-T. Laskri</i>	157
	Introduction of Hyperaccumulator Plants with Phytoremediation Potential of a Lead-	

144	Yue-Yang Chen, Hui-Ling Huang, Wan-Yu Yu, Chung-Lun Wei Research of Potential Cluster Development in Pannonian Croatia Mirjana Radman-Funarić, Katarina Potnik Galic	782
145	Effect of Dietary Supplementation of Different Levels of Black Seed (<i>Nigella Sativa</i> L.) on Growth Performance, Immunological, Hematological and Carcass Parameters of Broiler Chicks R. S. Shewita, A. E. Taha	788
146	Micro-aerobic, anaerobic and two-stage condition for ethanol production by <i>Enterobacter aerogenes</i> from biodiesel-derived crude glycerol Kanokrat Saisaard, Irini Angelidaki, Poonsuk Prasertsan	795
147	Workstation Design based on Ergonomics in Animal feed Packing Process Pirutchada Musigapong, Wantanee Phanprasit	799
148	Face Texture Reconstruction for Illumination Variant Face Recognition Pengfei Xiong, Lei Huang, Changping Liu	802
149	Talent Management and its Use in the Field of Human Resources Management in the Organization of the Czech Republic Petra Horváthová, Irena Durdová	809
150	Flexible Manufacturing System Peter Kostal, Karol Velisek	825
151	The Data Mining usage in Production System Management Pavel Vazan, Pavol Tanuska, Michal Kebisek	830
152	Big Bang – Big Crunch Optimization Method in Optimum Design of Complex Composite Laminates Pavel Y. Tabakov	835
153	Comparative Analysis of Tax Systems: Some Evidence from CEE Countries Marie Paseková, Jiri Strouhal, Lehte Alver, Arturs Praulinš	840
154	Prediction of Compressive Strength of Self- Compacting Concrete with Fuzzy Logic Paratibha Aggarwal, Yogesh Aggarwal	847
155	Image Analysis of Fine Structures of Supercavitation in the Symmetric Wake of a Cylinder Y. Obikane, M. Kaneko, K. Kakioka, K. Ogura	855
156	Using the V-Sphere Code for the Passive Scalar in the Wake of a Bluff Body Y. Obikane, T. Nemoto, K. Ogura, M. Iwata, K. Ono	859
157	Conservation and Repair Works for Traditional Timber Mosque in Malaysia: A Review on Techniques N.K.F. Mustafa, S. Johar, A.G. Ahmad, S.H. Zulkarnain, M.Y. A. Rahman, and A.I. Che Ani	862
158	Application of MADM in Identifying the Transmission Rate of Dengue fever: A Case Study of Shah Alam, Malaysia Nuraini Yusoff, Harun Budin, Salemah Ismail	868
159	A Framework for the Analysis of the Stereotypes in Accounting Nadia Albu, Catalin Nicolae Albu, Madalina Maria Gîrbina, Maria Iuliana Sandu	874
160	The Use of Acid-Aluminium Tolerant <i>Bradyrhizobium japonicum</i> Formula for Nisa Rachmania Mubarik, Tedja Imas, Aris Tri Wahyudi, Triadiati, Suharyanto, Happy Widiastuti	879
161	Design a single-phase BLDC Motor and Finite- Element Analysis of Stator Slots Structure Effects on the Efficiency Abdolamir Nekoubin	883
162	The Low-fertility problem in Hong Kong: Do Mainlanders' Births Help to Rejuvenate Low-fertility Problem? Nancy, Ling Sze Leung	891
163	Study of Microbial Critical Points of Saffron from Farm to Factory in Iran N. Khazaei, M. Jouki, A. Kalbasi, H. Tavakolipour, S. Rajabifar, F. Motamedi. Sedeh, A. Jouki	898
164	Two Dimensional Model for Extraction Packed Column Simulation using Finite Element Method N. Outili, A-H. Meniai	902
165	Software Technology Behind Computer Accounting M. Župan, V. Budimir	907
166	Optimal Allocation Between Subprime Structured Mortgage Products and Treasuries MP. Mulaudzi, MA. Petersen, J. Mukuddem-Petersen, IM. Schoeman, B. de Waal, JM. Manale	912
167	Micro Environmental Concrete M. Lanez, M.N. Oudjit, A. Bali	919
168	Regional Role of Higher Education Institutions in Croatia Mirjana Jelec Raguž, Barbara Pisker	924
169	Fatigue Properties of Steel Sheets Treated by Nitrooxidation M. Maronek, J. Barta, P. Palcek, K. Ulrich	930
170	Heart Rate Variability in Responders and Non- Responders to Live-Moderate, Train-Low Altitude Training Michael J. Hamlin, Apiwan Manimmanakorn, Gavin R. Sandercock, Jenny J. Ross, Robert H. Creasy, John Hellemans	936
	Heart Rate-Determined Physical Activity In New Zealand School Children: A Cross-Sectional Study	

The Use of Acid-Aluminium Tolerant *Bradyrhizobium japonicum* Formula for

Nisa Rachmania Mubarik, Tedja Imas, Aris Tri Wahyudi, Triadiati, Suharyanto, Happy Widiastuti

Abstract—Land with low pH soil spread widely in Indonesia can be used for soybean (*Glycine max*) cultivation, however the production is low. The use of acid tolerant soybean and acid-aluminium tolerant nitrogen-fixing bacteria formula was an alternative way to increase soybean productivity on acid soils. *Bradyrhizobium japonicum* is one of the nitrogen fixing bacteria which can symbiose with soybean plants through root nodule formation. Most of the nitrogen source required by soybean plants can be provided by this symbiosis. This research was conducted to study the influence of acid-aluminium tolerant *B. japonicum* strain BJ 11 formula using peat as carrier on growth of Tanggamus and Anjasmoro cultivar soybean planted on acid soil fields (pH 5.0-5.5). The results showed that the inoculant was able to increase the growth and production of soybean which were grown on fields acid soil at Sukadana (Lampung) and Tanah Laut (South Kalimantan), Indonesia.

Keywords—*Bradyrhizobium japonicum*, acid-aluminium tolerant mutant, Tanggamus cultivar soybean, acid soils

I. INTRODUCTION

LEGUME such as soybean could increase soil fertility and plant productivity. Inoculation of root nodule bacteria, such as *Bradyrhizobium japonicum*, on soybean plantation could enhance soybean quality and its productivity [1], [2]. A wide variation of *B. japonicum* tolerance to acid soil conditions have been reported on many agriculturally important legumes from various countries [3]. Bacteria can increase plant production because its ability to fix nitrogen and provide for plant. Atmospheric nitrogen (N_2) was fixed by the bacteria into ammonium (NH_3) in a nodule, so that the nitrogen can be used by the plant for its growth [4]. *Bradyrhizobium japonicum* is one of root nodule bacteria that can contribute on plant growth by providing fixed nitrogen in nodules of soybean plants [1]. Some strains of *B. japonicum* were tolerant on an acid condition, even at the pH level 4.0-4.5 [5]. Twenty five strains of *B. japonicum* had been selected for acid tolerance using either solid and broth medium [6]. In the Leonard bottle experiment, indigenous *B. japonicum* strain 11 (BJ 11) significantly could increase dry weight of the upper crop and nitrogen uptake of soybean

cultivar Slamet higher than standard strain from USA, USDA 110 [7]. Furthermore, pot experiments on acid soil pH 4.7 showed that inoculation of BJ 11 could increase plant height, shoot and root weight, number of flowers, pods, seeds, seeds dry weight, and shoot and seed nitrogen content [8]. This research was conducted to study the influence of acid-Al tolerant *B. japonicum* formula using peat as carrier on growth of Tanggamus and Anjasmoro cultivar soybean planted on field acid soil (pH 5.0-5.5).

II. MATERIALS AND METHODS

Materials

Isolate acid tolerant *B. japonicum*, BJ 11, was maintained at IPB Culture Collection, Biology Department, Faculty of Science and Mathematics, Bogor Agricultural University. Tanggamus and anjasmoro cultivar soybean seeds were obtained from Research Institute for Food Crops and Genetic Resources. Peat as inoculant carrier was obtained from Indonesian Research Institute for Legumes and Tubers. Physical and chemical analysis of soils and peats was done in Indonesian soil Research Institute, Bogor.

Medium and Formula Preparation

Isolates *B. japonicum* 11 (BJ 11) was grown on Yeast Mannitol Agar (YMA) that consist of mannitol (10 gL^{-1}), K_2HPO_4 (0.5 gL^{-1}), $MgSO_4 \cdot 7H_2O$ (0.2 gL^{-1}), NaCl (0.2 gL^{-1}), yeast extract (0.5 gL^{-1}), added with congo red (0.0025%) and rifampicin ($50\text{ }\mu\text{g mL}^{-1}$). The isolates were resistant to rifampicin [9]. The isolates were incubated for about 7-8 days at the room temperature. Then they were inoculated into Yeast Mannitol Broth (YMB) on an Erlenmeyer, and incubated for five days with an 125 rpm shaker. Formula contained 10^8 - 10^{10} cell/gram BJ 11 mixed with peat, gum arabic, limestone, and packed in plastic ($0.5\text{ Kg/plastic pack}$).

Field Trial

The seeds were coated with the formula before sowing. Seeds were sown by hand in each hole and planted 3 seeds per hole at a depth of 3 cm, distance of hole $20\text{ cm} \times 40\text{ cm}$. Fertilizer was placed at other hole besides of seeds hole. Watering was carried regularly if no rain. Removal of weeds or grasses were done as far as possible. Soybean seed were sown by hand in a hole at soil. There are three seeds per polybag. Soybean seeds were selected based on the same size and healthy (able to shoot). Some treatments were done to soybean seed as follows: 1. inoculated by *B. japonicum* galur BJ 11, 2. inoculated by BJ 11 and application with 100 % N fertilizer; 3. inoculated by *B. japonicum* galur BJ 11 and application with 50 % N fertilizer + 50% compost; 4. Control: without inoculant, without inoculant + 100% N fertilizer, without inoculant + 50 % N fertilizer + 50% compost. Each

N.R. Mubarik is corresponding author and with the Department of Biology, Faculty of Mathematics and Natural Sciences, Bogor Agricultural University, Jalan Agatis, IPB Dertmaga, Bogor 16680, INDONESIA (phone: +62-251-8622833; fax: +62-251-8622833; e-mail: nrachmania@ipb.ac.id).

Tedja-Imas, A.T. Wahyudi, and Triadiati are with the Dept. of Biology, Faculty of Mathematics and Natural Sciences, Bogor Agricultural University. Suharyanto and H. Widiastuti are with the Indonesian Biotechnology Research Institute for Estate Crops, Jalan Taman kencana No 1, Bogor 16151, Indonesia. (phone: +62-251-8324048)

treatments were done at 150-200 m² land replicated two times per each. As for mineral fertilization treatment 100 % N consisted of 100 Kg ha⁻¹ urea + 200 Kg ha⁻¹ TSP + 100 Kg ha⁻¹ KCl. As for 50% N consisted of a half dose of urea + 200 Kg ha⁻¹ TSP + 100 Kg ha⁻¹ KCl + compost 1000 Kg ha⁻¹. Compost spread out at land surface one week before seeds planting. Urea used twice at one planting period i.e. a half dose at seeds planting and the rest at 30 days after planting (DAP). Growth parameters such as plant height at 30 days after planting (DAP), number of pods at 90 DAP, total number of seeds, total of seed weight, and weight of 100 seeds numbers of pods compare to control were determined. Growth parameters were measured from 10 plants per treatments. Data were analyzed using completely randomized design and the means at p (0.05) level of significance.

II. RESULTS AND DISCUSSION

Isolate Growth and Formula of Inoculants

Isolate BJ 11 was able to grow on YMA which were added with 0.0025% congo red and 50 µg/ml rifampicin after 7 days incubated on room temperature. Morphology of *B. japonicum* colonies were mucoid, not quite able to reserve congo red, and curve elevated (Fig. 1a). Formula of BJ 11 on peat as carrier contained 10⁹-10¹⁰ cell/gram BJ 11 and packed in 0.5 Kg/plastic pack (Fig. 1b).




Fig. 1 (a) Colony of *B. japonicum* BJ 11 after 7 days of incubation on YMA + 0.0025% congo red + 50 µg/ml rifampicin, (b) formula of BJ 11 on peat as carrier.

Bradyrhizobium japonicum strain BJ 11 categorized as slowly growth bacterium because its colony on solid medium was seen after 7 days of incubation. The isolate could not absorb congo red at yeast mannitol agar (YMA) added with congo red [1]. BJ 11 also secreted exopolysaccharides in a large amount of mannitol [10], the colony was appeared sticky and mucoid colony. Role of exopolysaccharide to resistance at acid condition [11].

Field Trial

A field trial was conducted to examine the efficiency of BJ 11 on the growth, nodulation and yield of soybean cultivar Tanggamus and Anjasmoro. Tanggamus is one of leading cultivar which can adapt to dry acid soil, Anjasmoro also showed good adaptation on paddies fields. The experiments took place at Sukadana (Lampung) and Tanah Laut (South Kalimantan). Chemical properties of the soil showed at Tabel 1. There were not found indigenous *B. japonicum* on field trial location and compost before treatments (Table 2 & 3).

TABLE I
CHEMICAL PROPERTIES OF SOIL AT THE TRIAL LOCATIONS

Parameter	Soil contents	
	Lampung	South Kalimantan
C (%)	0.73	2.54
N (%)	0.11	0.20
P (%)	0.0142	0.0749
Mg (%)	0.01	0.02
K (%)	0	0.01
Ca (%)	0.14	0.67
C/N (%)	6.64	12.7
Al-dd	0.88	0.15
Capacity of cation exchange	2.45	7.14
pH : aquadest	5.56	6.18
pH :KCl	4.76	4.81

TABLE II
TOTAL PLATE COUNT OF CELL BACTERIA AND INDIGENOUS *B. JAPONICUM* IN FIELD LOCATION

Field location	Numbers of cell (cfu/ml)	Numbers of <i>B. japonicum</i> (cfu/ml)
Sukadana -Lampung	5.9 x 10 ⁵	0
Tambang Ulang -South Kalimantan	7.4 x 10 ⁵	0

TABLE III
COMPOSITION BACTERIA ON COMPOST USED IN THIS EXPERIMENTS

No	Microbes	Cell (cfu/ml)
1	<i>Lactobacillus</i>	0
2	Phosphate solubilization bacteria	320
3	<i>Rhizobium/Bradyrhizobium</i>	0
4	Actinomycetes	0
5	Yeast	0

Analysis data showed there were significant effect of *B. japonicum* inoculation for soybean grown at Tanah Laut-South Kalimantan and Sukadana - Lampung compared to control, without inoculants and fertilizer (Table 4 & 5). Inoculation BJ 11 formula showed better response on soybean growth than control, treatment without fertilizer and inoculant.

There were an association between soybean and root nodule bacteria which were played an important role in increasing the plant growth. Nitrogen fixation by the bacteria provided fixed nitrogen to the plants and then support growth and development of plants. Plants inoculated with BJ 11 isolate approximately had higher plant height, number of pods, and seeds, weight of 100 seeds. Inoculation of *Rhizobium* effectively influenced the formation and development of pods [11]. Pods that were already formed then were filled with phosynthate to form seeds. Numbers of seeds were effected by the number and size of pods. Higher number of pods were also gave higher numbers of seeds [8].

TABLE IV
GROWTH OF ANJASMORO AND TANGGAMUS CULTIVAR SOYBEAN PLANTS ON
TREATMENT WITH ACID-ALUMINIUM TOLERANT *B. JAPONICUM* FORMULA ON
ACID SOIL AT SUKADANA- LAMPUNG

Anjasmoro					
Treatments	Plant height at 30 DAP (cm)	Number of pods at 90 DAP	Total number of seeds	Total of Seed weight (g)	Weight of 100 seeds (g)
BJ 11 + 1 N	46.7 a	34.8 bc	73.9 a	9.5 ab	16.1 a
BJ 11 + 1/2 N + C	40.6 b	58.2 a	66.2 ab	7.2 bc	11.2 ab
BJ 11	25.3 d	67.7 a	35.2 d	3.1 de	8.8 b
1 N	43.2 ab	27.9 cd	53.8 bc	7 c	11.7 ab
1/2 N + C	40.9 b	27.2 cd	57.4 bc	6.4 c	10.1 ab
Without fertilizer and inoculants	33.6 c	15.6 d	42.9 cd	4.1 d	9.6 b

Tanggamus					
Treatments	Plant height 30 DAP (cm)	Number of pods 90 DAP	Total number of seeds	Total of seed weight (g)	Weight of 100 seeds (g)
BJ 11 + 1 N	31.1 c	51.6 a	128.5 a	9.7 b	7.8 a
BJ 11 + 1/2 N + C	36.1 a	58.3 a	130.1 a	10.1 b	7.4 a
BJ 11	26.3 d	21.3 b	43.3 bc	3 c	7.1 a
1 N	33 abc	69.1 a	145.3 a	16.1	7.3 a
1/2 N + C	32.3 bc	60.4 a	129 a	10.6 b	7.9 a
Without fertilizer and inoculants	29.7 c	35.2 b	73.1 b	5.5 bc	7.8 a

TABLE V. GROWTH OF ANJASMORO AND TANGGAMUS CULTIVAR SOYBEAN PLANTS ON TREATMENT WITH ACID-ALUMINIUM TOLERANT *B. JAPONICUM* FORMULA ON ACID SOIL AT TAMBANG ULANG-SOUTH KALIMANTAN

Anjasmoro					
Treatments	Plant height 30 DAP (cm)	Number of pods 90 DAP	Total number of seeds	Total of seed weight (g)	Weight of 100 seeds (g)
BJ 11 + 1 N	53 a	34.7 bc	81 bc	14.1 bc	15 abc
BJ 11 + 1/2 N + C	44.3 b	58.2 a	75.9 c	12.3 cd	15.3 ab
BJ 11	40.9 cd	67.7 a	101.1 ab	17.5 ab	13.3 c
1 N	53.4 a	27.9 cd	46.3 d	6 e	16.1 a

1/2 N + C	35.8 e	27.2 cd	63.1 cd	9.2 de	13.3 c
Without fertilizer and inoculants	41 cd	15.6 d	40.6 d	5 e	14.6 abc

Tanggamus					
Treatments	Plant height 30 DAP (cm)	Number of pods 90 DAP	Total number of seeds	Total of seed weight (g)	Weight of 100 seeds (g)
BJ 11 + 1 N	33.8 ab	41.1 ab	74.9 a	6.9 a	11.4 ab
BJ 11 + 1/2 N + C	35 a	45.1 a	64.9 ab	6.8 a	10.9 ab
BJ 11	33.9 ab	31.6 cd	64.4 ab	5.8 ab	12.1 a
1 N	34.9 a	21.7 e	36.7 d	3.5 c	10.3 b
1/2 N + C	32.4 bc	19.8 e	38.8 d	4.1 c	11.4 ab
Without fertilizer and inoculants	28.8 d	26.3 de	50.3 bcd	4.4 bc	10.6 b

BJ 11 = BJ 11 inoculant formula; N = 100 Kg.Ha⁻¹ urea + 200 Kg. Ha⁻¹ TSP and 100 Kg.Ha⁻¹ KCl; 1/2 N = 50 Kg.Ha⁻¹ urea + 200 Kg. Ha⁻¹ TSP and 100 Kg.Ha⁻¹ KCl; C = compost.

Based on experiments, weight of 100 seeds of Anjasmoro cultivar tend to higher than Tanggamus cultivar (Table 5). Using recommended fertilizer, Tanggamus and Anjasmoro cultivar commonly had about 12 g/100 seeds and 15 g/100 seeds, respectively. In this experiment, treatment with BJ 11 + 1/2 N + C using Anjasmoro cultivar achieved 15.3 g/100 seeds, and treatment only with B J 11 achieved 12.1 g/seeds using Tanggamus cultivar. In conclusions, inoculation BJ 11 was able to increase the growth and production of soybean plants which were grown on acid soil fields.

REFERENCES

- [1] P. Somasegaran and H.J. Hoben. *Methods in legume-Rhizobium Technology*. Paia: University of Hawaii, 1994.
- [2] M.K. Abbasi, A. Majeed, A.Sadiq, and S.R. Khan.. Application of *Bradyrhizobium japonicum* and phosphorus fertilization improved growth, yields and nodulation of soybean in the sub-humid hilly region of Azad Jammu and Kashmir, Pakistan. *Plant Prod. Sci.*, vol. 11, pp. 368-376, 2008.
- [3] A. Ayanaba, S. Asanuma, and D.N. Munns, "An agar plate method for rapid screening of *Rhizobium* tolerance to acid aluminium stress," *Soil. Sci. Am. J.*, vol. 47, pp. 256-258, 1983.
- [4] R.M. Atlas and R. Bartha. *Microbial Ecology. Fundamentals and Application*. 4th Ed. Menlo Park: Addison Wesley Longman, Inc, 1998.
- [5] J. Denarie, P. Debelle, and C. Rosenberg. "Signaling and host range variation in nodulation," *Ann. Rev. Microbiol.*, vol. 46, pp.497-531, 1992.
- [6] T. Endarini, A.T. Wahyudi, Tedja-Imas, "Selection of indigenous *Bradyrhizobium japonicum* tolerant acid-aluminium medium" (in Indonesia language), *Hayati*, vol. 2, pp. 74-79, 1995.
- [7] H. Habibah. Effectivity of acid-aluminium tolerant *Bradyrhizobium japonicum* on the growth of Slamet [thesis, in Indonesia language]. Bogor: Postgraduate School, Bogor Agricultural University, 2008.
- [8] A.R.F. Situmorang, N.R. Mubarik, and Triadiati, "The use of inoculant acid- aluminium tolerant *Bradyrhizobium japonicum* for soybean growth on acid soils," *Hayati J. Biosci.*, vol. 16, pp. 157-160, 2009.

- [9] A.T. Wahyudi, A. Suwanto, Tedja-Imas and A. Tjahjoleksono, "Screening of acid-aluminium tolerant *Bradyrhizobium japonicum* strain analysis of marker genes and competition in planta," *Aspac. J. Mol. Biol. Biotechnol.* vol. 6, pp. 13-20, 1998.
- [10] X. Parveen, D.T. Webb, D. Borthakur, "The symbiotic phenotypes of exopoly- saccharide defective mutants of *Rhizobium* sp. strain TAL1145 do not differ on determinate and indeterminate nodulating tree legume," *Microbiology*, vol. 143, pp. 1959-1967, 1997.
- [11] A.H. Lounch, Karen, and J Miller, "Synthesis of low-molecular-weight form of exopoly- saccharide by *Bradyrhizobium japonicum* USDA 110," *Appl. Environ. Microbiol.*, vol. 2, pp. 1011- 1014, 2001.
- [12] R. Saraswati, "Technology of multipurpose microbial fertilizer supporting sustainable system of soybean production," *J Mikrobiol Indones*, vol. 4, pp. 1-9, 1999.